




**Swimming, Olympic, SPA,
Decorative Pool Equipment**



**2025
PRODUCT CATALOG**



<u>OUR PRODUCTS</u>	<u>PAGES</u>
PAR 56 SMD LED LIGHTING FIXTURES	5
COMPLETE STAINLESS STEEL SWIMMING POOL LIGHTS	6
SLIM JOKER LED LIGHTING FIXTURES	7
JOKER LED LIGHTING FIXTURES	8
MINI SURFACE-MOUNTED LED LIGHTING FIXTURES	9
SURFACE-MOUNTED SMD LED PRODUCTS WITH ABS BODY	10
3 POWER LED PIPE-MOUNTED LIGHTING FIXTURES	11
SINGLE LED LIGHTING FIXTURES	12
SPA TYPE HOUSING LIGHTING FIXTURES	13
JAGUAR TYPE DECORATIVE POOL LIGHTING FIXTURES	14
CHEETAH TYPE DECORATIVE POOL LIGHTING FIXTURES	15
3 POWER LED STAND-MOUNTED LIGHTING FIXTURES	16
STAINLESS STEEL ECO TYPE DECORATIVE POOL LIGHTING FIXTURES	17
STAINLESS STEEL LUXURY TYPE DECORATIVE POOL LIGHTING FIXTURES	18
STAINLESS STEEL SQUARE TYPE POOL LIGHTING FIXTURES	19
STAINLESS STEEL ROUND TYPE DECORATIVE POOL LIGHTING FIXTURES	20
STAINLESS STEEL 45-LED AND 36-LED LIGHTING FIXTURES	21
RGB MODULATOR CONTROL PANELS	22
POOL TRANSFORMERS	24-25
ELECTRICAL CONTROL PANELS	28-31
ELECTRONIC CONTROL BUTTON AND SYSTEM (JACUZZI)	32
STANDARD, MURO, MIXTO POOL LADDERS	35-38
OVERFLOW LADDERS	39-40
EXIT LADDERS	41-42
LADDER SPARE PARTS	43
LADDER HANDRAILS	44-45
HYDROTHERAPY LADDERS (INCLINED LADDERS)	47
SEA LANDING LADDERS	48

CATALOG

CONTENTS

VITALITYPOOL BED AND BENCH MASSAGE SYSTEM	51-52
KOBRA, LUX VE SPECIAL TYPE WATERFALLS	53-55
ECO AND STANDARD WATERFALLS	56
WALL TYPE AND BUILT-IN WATERFALLS	57
WATER CURTAINS - WALL TYPE	58
AIR BED SYSTEM	60
AIR FLOOR SYSTEMS	61
JACUZZI AIR BLOWER AND AIR CONTROL NOZZLE	62
WALL MASSAGE NOZZLES	63
BOTTOM, SIDE AND DRAIN GRATES	64
STAINLESS STEEL SKIMMERS	65-66
MACHINE ROOM AND BALANCE TANK COVER	67
MACHINE ROOM AND BALANCE TANK ACCESS LADDER	68
STANDARD AND SPECIAL SHOWERS	69-70
SQUARE SHOWERS SYSTEM	71
SHOWER TUNNELS	72
MUSHROOM WATERFALLS	73
PUMP PLATFORMS	74
DRAIN GRATES	75
PRE-FILTERS	76
PLASTIC EQUIPMENT	78-83
OLYMPIC POOL ACCESSORIES	85-94
FOUNTAINS	95-107
PROJECTS AND APPLICATIONS	108-110
OUR CERTIFICATES	111-113



- ❖ PAR 56 SMD LED LIGHTING FIXTURES
- ❖ COMPLETE STAINLESS STEEL SWIMMING POOL LIGHTS
- ❖ SLIM JOKER LED LIGHTING FIXTURES
- ❖ JOKER LED LIGHTING FIXTURES
- ❖ MINI SURFACE-MOUNTED LED LIGHTING FIXTURES
- ❖ SURFACE-MOUNTED SMD LED PRODUCTS WITH ABS BODY
- ❖ 3 POWER LED PIPE-MOUNTED LIGHTING FIXTURES
- ❖ SINGLE LED LIGHTING FIXTURES
- ❖ SPA TYPE HOUSING LIGHTING FIXTURES
- ❖ JAGUAR TYPE DECORATIVE POOL LIGHTING FIXTURES
- ❖ CHEETAH TYPE DECORATIVE POOL LIGHTING FIXTURES
- ❖ 3 POWER LED STAND-MOUNTED LIGHTING FIXTURES
- ❖ STAINLESS STEEL ECO TYPE DECORATIVE POOL LIGHTING FIXTURES
- ❖ STAINLESS STEEL LUXURY TYPE DECORATIVE POOL LIGHTING FIXTURES
- ❖ STAINLESS STEEL SQUARE TYPE POOL LIGHTING FIXTURES
- ❖ STAINLESS STEEL ROUND TYPE DECORATIVE POOL LIGHTING FIXTURES
- ❖ STAINLESS STEEL 36-LED AND 45-LED LIGHTING FIXTURES
- ❖ RGB MODULATOR CONTROL PANELS

LIGHTING FIXTURES

PAR 56 SMD LED LIGHTING FIXTURES

Designed to ensure you use the latest SMD products in your pools and get more efficiency.

Guaranteed by Cometepool, providing maximum efficiency with minimum electricity consumption.

These products feature 72 high-lumen SMD LEDs and are available in White, Daylight, Blue and Full RGB color options.

In the White color option, the product reaches a luminous output of 5230 lumens. It operates at 35 Watts and 12V AC.

AISI 304 and AISI 316 stainless steel frames are available. For single-color products, the electrical transformer must be ordered separately.

ABS Plastic Body SMD Led Bulbs


Product Code	Product Name	Led Color	Price
SMD001	PAR 56 SMD Led Bulb	Single Color	25 €
SMD004	PAR 56 SMD Led Bulb	Full RGB	32 €
SMD004-2K	PAR 56 SMD Ledli Bulb (2-Wire RGB)	Full RGB	38 €
SMD005	PAR 56 SMD Led Bulb with Housing	Single Color	60 €
SMD008	PAR 56 SMD Led Bulb with Housing	Full RGB	70 €
SMD010	PAR 56 SMD Led Bulb without Housing	Single Color	55 €
SMD011	PAR 56 SMD Led Bulb without Housing	Full RGB	65 €
YP010	Stainless Front Cover for ABS Plastic Type Light – AISİ 304	-	20 €
YP011	Stainless Front Cover for ABS Plastic Type Light – AISİ 316	-	30 €



Product Code	Product Name	Price
SMDK001	Par 56 Led Bulb – Hive Kit	30 €
YP002	Lamb Case (Hive)	15 €
YP003	Light Nail	0,40 €
YP004	Light Inside Case	10 €
YP005	Light Body Oring	3 €
YP006	Lamp Front Frame ABS	18,50 €



Technical Specifications				
Code	SMD001	SMD003	SMD004	SMD002
Color	White	Blue	Full RGB	Daylight
Led Type	SMD Led	SMD Led	SMD Led	SMD Led
Led Quantity	72	72	72	72
Power (Watt)	33W±10%W	33W±10%W	30W±10%W	33W±10%W
Input Voltage	12V±1VAC	12V±1VAC	12V±1VDC	12V±1VAC
Frequency	50/60 Hz	50/60 Hz		50/60 Hz
Lumen Output	≤3410 Lm	≤83 Lm	≤435 Lm	≤3200 Lm
Luminous Intensity	≤1 085 437 mcd	≤741 663 mcd	≤149 760 mcd	≤920 000 mcd
Operating Temperatur	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Storage Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Cable Length	No Cable	No Cable	No Cable	No Cable
Cable Type	2 - insört	2 - insört	4 - insört	2 - insört
IP Class	IP68	IP68	IP68	IP68
Max Lifespan	50.000 hours	50.000 hours	50.000 hours	50.000 hours



Designed to provide the elegance of stainless steel in your swimmin pools. With AISI 304 and AISI 316 stainless steek options and a variety of colors, including white, daylight, blue and full RGB, you can choose the best option for your Project.

Product Code	Product Name	Price
KSRP01	Complete Stainless Steel Swimming Pool Light - SMD LED SINGLE COLOR (AISI 304 QUALITY)	170 €
KSRP03	Complete Stainless Steel Swimming Pool Light - SMD LED FULL RGB (AISI 304 QUALITY)	190 €
KSRP05	Complete Stainless Steel Swimming Pool Light - POWER LED SINGLE COLOR (AISI 316 QUALITY)	200 €
KSRP08	Complete Stainless Steel Swimming Pool Light - POWER LED FULL RGB (AISI 316 QUALITY)	250 €



LIGHTING FIXTURES



SLIM JOKER LED LIGHTING FIXTURES

This is a Lighting product designed for use in your swimming pool projects. Using SMD LED technology suitable for recessed mounting. Available in white, black, light gray anthracite and AISI 316 stainless steel frame options.

The body of our Par56 SMD product is made of high-quality ABS material and the aluminum PCB used ensures high efficiency and long-lasting performance.

Product Code	Product Name	Led Color	Price
SLIM-001	Slim Led Joker Lighting with Plastic White Frame	Single Color	36 €
SLIM-001A	Slim Led Joker Lighting with Plastic Anthracite Frame		42 €
SLIM-001S	Slim Led Joker Lighting with Plastic Black Frame		42 €
SLIM-001P	Slim Led Joker Lighting with Stainless Steel Frame		72 €
SLIM-004	Slim Led Joker Lighting with Plastic White Frame	Full RGB	42 €
SLIM-004A	Slim Led Joker Lighting with Plastic Anthracite Frame		46 €
SLIM-004S	Slim Led Joker Lighting with Plastic Black Frame		46 €
SLIM-004P	Slim Led Joker Lighting with Stainless Steel Frame		80 €

Technical Specifications				
Code	SLIM-001	SLIM-002	SLIM-004	SLIM-003
Color	Cool White	Blue	Full RGB	Warm White
Led Type	SMD Led	SMD Led	SMD Led	SMD Led
Led Quantity	81	81	81	81
Power (Watt)	40W±10%W	40W±10%W	40W±10%W	40W±10%W
Input Voltage	12V±1VAC	12V±1VAC	12V±1VDC	12V±1VAC
Frequency	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz
Lumen	≤4800 Lm	≤383 Lm	≤435 Lm	≤4800 Lm
Luminous Intensity	≤1 085 437 mcd	≤741 663 mcd	≤149 760 mcd	≤920 000 mcd
Operation Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Storage Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Standart cable lenght	No cable	No cable	No cable	No cable
Cable specifications	2 - insört	2 - insört	4 - insört	2 - insört
IP Class	IP68	IP68	IP68	IP68
Max. Life Span	50.000 hours	50.000 hours	50.000 hours	50.000 hours



LIGHTING FIXTURES

JOKER LED LIGHTING FIXTURES



This lighting product using SMD LED technology, is suitable for both surface-mounted and housing use in your swimming pool projects.

Available in white, black, light gray, anthracite and stainless steel frame options.

The body of our Par56 SMD product is made of high-quality ABS material and the aluminum PCB used ensures high efficiency and long-lasting performance.

Product Code	Product Name	Led Color	Price
JKR-001	Joker Led Surface-mounted Lighting with Plastic White Frame	Single Color	28 €
JKR -001A	Joker Led Surface-mounted Lighting with Plastic Anthracite Frame		33 €
JKR -001S	Joker Led Surface-mounted Lighting with Plastic Black Frame		33 €
JKR -001P	Joker Led Surface-mounted Lighting with Stainless Steel Frame		62 €
JKR -004	Joker Led Surface-mounted Lighting with Plastic White Frame	Full RGB	36 €
JKR -004A	Joker Led Surface-mounted Lighting with Plastic Anthracite Frame		40 €
JKR -004S	Joker Led Surface-mounted Lighting with Plastic Black Frame		40 €
JKR -004P	Joker Led Surface-mounted Lighting with Stainless Steel Frame		70 €

*If desired, it can also be used as a flush mount with its apparatus.



Technical Specifications				
Code	JKR001	JKR002	JKR003	JKR004
Color	Beyaz	Mavi	Güneşiği	Full RGB
Led Type	SMD Led	SMD Led	SMD Led	SMD Led
Led Quantity	72	72	72	72
Power (Watt)	33W±10%W	33W±10%W	33W±10%W	30W±10%W
Input Voltage	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VDC
Frequency	50/60 Hz	50/60 Hz	50/60 Hz	-
Lumen	≤3410 Lm	≤83 Lm	≤3200 Lm	≤435 Lm
Luminous Intensity	≤1 085 437 mcd	≤741 663 mcd	≤920 000 mcd	≤149 760 mcd
Operation Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Storage Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Standart cable lenght	1,20 m	1,20 m	1,20 m	1,20 m
Cable specifications	2x0,75 mm ² TTR	2x0,75 mm ² TTR	2x0,75 mm ² TTR	4x0,75 mm ² TTR
IP Class	IP68	IP68	IP68	IP68
Max Lifespan	50.000 hours	50.000 hours	50.000 hours	50.000 hours

LIGHTING FIXTURES


MINI SURFACE-MOUNTED LED LIGHTING FIXTURES

This lighting product is designed using SMD Led technology, suitable for surface-mounted models in your swimming pool projects.

Available in white, black, light gray, anthracite and AISI 316 stainless steel frame options.

The body of our Par56 SMD product is made of high-quality ABS material and the aluminum PCB used ensures high efficiency and long-lasting performance.

Product Code	Product Name	Led Color	Price
MSU01	Mini Surface-Mounted Lighting with ABS White Frame	Single Color	18 €
MSU01A	Mini Surface-Mounted Lighting with ABS Anthracite Frame		22 €
MSU01S	Mini Surface-Mounted Lighting with ABS Black Frame		22 €
MSU01P	Mini Surface-Mounted Lighting with Stainless Steel Frame		38 €
MSU04	Mini Surface-Mounted Lighting with ABS White Frame	Full RGB	26 €
MSU04A	Mini Surface-Mounted Lighting with ABS Anthracite Frame		30 €
MSU04S	Mini Surface-Mounted Lighting with ABS Black Frame		30 €
MSU04P	Mini Surface-Mounted Lighting with Stainless Steel Frame		48 €



Technical Specifications				
Code	MSU01	MSU02	MSU03	MSU04
Color	White	Blue	Daylight	Full RGB
Led Type	SMD Led	SMD Led	SMD Led	SMD Led
Led Quantity	24	24	24	24
Power (Watt)	6W±10%W	6W±10%W	6W±10%W	6W±10%W
Input Voltage	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VDC
Frequency	50/60 Hz	50/60 Hz	50/60 Hz	-
Lumen	<=500 Lm	<=83 Lm	<=480 Lm	<=210 Lm
Luminous Intensity	<=1 085 437 mcd	<=741 663 mcd	<=920 000 mcd	<=149 760 mcd
Operation Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Storage Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Standart cable lenght	1,20 m	1,20 m	1,20 m	1,20 m
Cable specifications	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	4x0,75 mm² TTR
IP Class	IP68	IP68	IP68	IP68
Max Lifespan	50.000 hours	50.000 hours	50.000 hours	50.000 hours

LIGHTING FIXTURES


SURFACE-MOUNTED SMD LED PRODUCTS WITH ABS BODY

This lighting product, using SMD LED technology, is suitable for surface-mounted models in your swimming pool projects.


Available in white, black, anthracite and stainless steel frame options.

The body of our Par56 SMD products is made of high-quality ABS material and the aluminum PCB used ensures high efficiency and long-lasting performance.

Product Code	Product Name	Frame Material	Led Color	Price
SSL011	Surface-Mounted SMD Led with ABS Body	ABS	Single Color	28 €
28SSL014	Surface-Mounted SMD Led with ABS Body	ABS	Full Rgb	36 €
SSL011-PK	Surface-Mounted SMD Led with AISI 316 Stainless Steel Cover	ABS	Single Color	60 €
SSL014-PK	Surface-Mounted SMD Led with AISI 316 Stainless Steel Cover	ABS	Full Rgb	70 €



Product Code	Product Name	Price
SSUL001-A	Spare Part Front Mirror	12 €
SSUL001-B	Spare Parts Glass	15 €
SSUL001-D	Spare Part Additional Body	15 €



Technical Specifications				
Code	SSL011	SSL012	SSL013	SSL014
Color	White	Blue	Daylight	Full RGB
Led Type	SMD Led	SMD Led	SMD Led	SMD Led
Led Quantity	72	72	72	72
Power (Watt)	33W±10%W	33W±10%W	33W±10%W	30W±10%W
Input Voltage	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VDC
Frequency	50/60 Hz	50/60 Hz	50/60 Hz	-
Lumen	≤3410 Lm	≤83 Lm	≤3200 Lm	≤435 Lm
Luminous Intensity	≤1 085 437 mcd	≤741 663 mcd	≤920 000 mcd	≤149 760 mcd
Operation Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Storage Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Standart cable lenght	1,20 m	1,20 m	1,20 m	1,20 m
Cable specifications	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	4x0,75 mm² TTR
IP Class	IP68	IP68	IP68	IP68
Max Lifespan	50.000 hours	50.000 hours	50.000 hours	50.000 hours

LIGHTING FIXTURES

3 POWER LED PIPE-MOUNTED LIGHTING FIXTURES

The 3 Power Led lighting fixtures are manufactured as complete ABS, ABS body with stainless steel front or completely AISI 304 stainless steel products, providing alternative options.

These products can be mounted on D.63 mm pipes and are suitable for decorative pools. They can be used with either plastic or stainless steel stands.

They have an IP68 protection rating and are available in various color options.

Product Code	Product Name	Led Color	Price
KABS001-CW	Complete Abs 3 Power Led Pipe-Mounted Lighting	Single Color	30 €
KABS003	Complete Abs 3 Power Led Pipe-Mounted Lighting	Full RGB	40 €




Product Code	Product Name	Led Color	Price
SKABS001-CW	Abs Body with Stainless Steel Front 3 Power Led Pipe-Mounted Lighting	Single Color	40 €
SKABS003	Abs Body with Stainless Steel Front 3 Power Led Pipe-Mounted Lighting	Full RGB	50 €

Product Code	Product Name	Led Color	Price
KK01-CW	Complete Stainless Steel 3 Power Led Pipe-Mounted Lighting	Single Color	89 €
KK02	Complete Stainless Steel 3 Power Led Pipe-Mounted Lighting	Full RGB	99 €



Technical Specifications						
Code	KK01-CW	KK01-WW	KK01-R	KK01-G	KK01-B	KK02
Code	KABS-001CW	KABS-001WW	KABS-001R	KABS-001G	KABS-001B	KABS-003
Code	SKABS-001CW	SKABS-001WW	SKABS-001R	SKABS-001G	SKABS-001B	SKABS-003
Color	White	Daylight	Red	Green	Blue	Full RGB
Led Type	Power Led	Power Led	Power Led	Power Led	Power Led	Power Led
Led Quantity	3	3	3	3	3	3
Power (Watt)	3W±10%W	3W±10%W	3W±10%W	3W±10%W	3W±10%W	3W±10%W
Input Voltage	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VDC
Frequency	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	-
Lumen	<=180 Lm	<=162 Lm	<=120 Lm	<=165 Lm	<=39 Lm	<=128 Lm
Luminous Intensity	<=67 182 mcd	<=60 465 mcd	<=44 790 mcd	<=61 584 mcd	<=14 559 mcd	<=47 892 mcd
Operation Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Storage Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Standart cable lenght	1,20 m	1,20 m	1,20 m	1,20 m	1,20 m	1,20 m
Cable Specifications	2x0,75 mm ² TTR	2x0,75 mm ² TTR	2x0,75 mm ² TTR	2x0,75 mm ² TTR	2x0,75 mm ² TTR	4x0,75 mm ² TTR
IP Class	IP68	IP68	IP68	IP68	IP68	IP68
Max Lifespan	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours



LIGHTING FIXTURES

SINGLE LED LIGHTING FIXTURES

When applied to the bottom of the pool, it creates a starry effect for viewers.

This is a product developed by The Cometepool brand.


It is manufactured from AISI 304 stainless steel and Abs, offering a vibrant range of color options.

It has an IP68 protection rating, making it durable and ideal for special applications.

Product Code	Product Name	Led Color	Price
STARRY04-CW	Single Led Abs Lighting Fixture	Single Color	25 €
STARRY05	Single Led Abs Lighting Fixture	Full RGB	35 €



Product Code	Product Name	Led Color	Price
STARRY01-CW	Single Led Stainless Steel Lighting Fixture	Single Color	40 €
STARRY03	Single Led Stainless Steel Lighting Fixture	Full RGB	50 €



Please get a quote for wide flange options.

Technical Specifications						
Code	STARRY01-CW	STARRY01-WW	STARRY01-R	STARRY01-G	STARRY01-B	STARRY03
Color	White	Daylight	Red	Green	Blue	Full RGB
Led Type	Power Led	Power Led	Power Led	Power Led	Power Led	Power Led
Led Quantity	1	1	1	1	1	1
Power (Watt)	1W±10%W	1W±10%W	1W±10%W	1W±10%W	1W±10%W	1W±10%W
Input Voltage	5V±1VDC	5V±1VDC	5V±1VDC	5V±1VDC	5V±1VDC	5V±1VDC
Lumen	<=60 Lm	<=54 Lm	<=40 Lm	<=55 Lm	<=13 Lm	<=42 Lm
Luminous Intensity	<=22 394 mcd	<=22 155 mcd	<=14 930 mcd	<=20 528 mcd	<=4 853 mcd	<=15 964 mcd
Operation Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Storage Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Standart cable lenght	1,20 m	1,20 m	1,20 m	1,20 m	1,20 m	1,20 m
Cable Specifications	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	4x0,75 mm²
IP Class	IP68	IP68	IP68	IP68	IP68	IP68
Max Lifespan	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours

LIGHTING FIXTURES



SPA TYPE HOUSING LIGHTING FIXTURES

Our eco-type fixtures have been specially designed with a housing system for use in SPA projects.

The black housing is made of high-quality plastic material.

Available in different color options with 9 Power Led.

Product Code	Product Name	Led Color	Price
KSPA04-CW	SPA Type Housing 9 Power Led Lighting Fixtures	Single Color	105 €
KSPA 13	SPA Type Housing 9 Power Led Lighting Fixtures	Full RGB	125 €



Technical Specifications

Code	KSPA04-CW	KSPA04-WW	KSPA04-R	KSPA04-G	KSPA04-B	KSPA013
Color	White	Daylight	Red	Green	Blue	Full RGB
Led Type	Power Led	Power Led	Power Led	Power Led	Power Led	Power Led
Led Quantity	9	9	9	9	9	9
Power (Watt)	10W±10%W	10W±10%W	10W±10%W	10W±10%W	10W±10%W	14W±10%W
Input Voltage	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VDC
Frequency	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	-
Lumen	≤540 Lm	≤486 Lm	≤360 Lm	≤495 Lm	≤117 Lm	≤385 Lm
Luminous Intensity	≤201 546 mcd	≤181 395 mcd	≤134 370 mcd	≤184 752 mcd	≤43 677 mcd	≤15 964 mcd
Operation Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Storage Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Standart Cable Lenght	1,20 m	1,20 m	1,20 m	1,20 m	1,20 m	1,20 m
Cable Specifications	2x0,75 mm²	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	4x0,75 mm² TTR
IP Class	IP68	IP68	IP68	IP68	IP68	IP68
Max Lifespan	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours

LIGHTING FIXTURES

JAGUAR TYPE DECORATIVE POOL LIGHTING FIXTURES

Used in decorative pools and garden lighting.




It is designed with high-lumen Power Leds, known for their excellent water-tracking performance.

With Cometepool quality and assurance, it is an IP68-rated product that is highly efficient and reasonably priced.

Available in various color options.



Product Code	Product Name	Led Color	Price
PLJA004-CW	Jaguar 9 Power Led Lighting Fixture	Single Color	55 €
PLJA006	Jaguar 9 Power Led Lighting Fixture	Full RGB	70 €




Technical Specifications						
Code	PLJA004-CW	PLJA004-WW	PLJA004-R	PLJA004-G	PLJA004-B	PLJA006
Color	White	Daylight	Red	Green	Blue	Full RGB
Led Type	Power Led	Power Led	Power Led	Power Led	Power Led	Power Led
Led Quantity	9	9	9	9	9	9
Power (Watt)	9W±10%W	9W±10%W	9W±10%W	9W±10%W	9W±10%W	9W±10%W
Input Voltage	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VDC
Frequency	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	-
Lumen	≤540 Lm	≤486 Lm	≤360 Lm	≤495 Lm	≤117 Lm	≤385 Lm
Luminous Intensity	≤201 546 mcd	≤181 395 mcd	≤134 370 mcd	≤184 752 mcd	≤43 677 mcd	≤15 964 mcd
Operation Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Storage Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Standart Cable Length	1,20 mt	1,20 mt	1,20 mt	1,20 mt	1,20 mt	1,20 mt
Cable Specifications	2x0,75mm² TTR	2x0,75mm² TTR	2x0,75mm² TTR	2x0,75mm² TTR	2x0,75mm² TTR	4x0,75mm² TTR
IP Class	IP68	IP68	IP68	IP68	IP68	IP68
Max Lifespan	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours

Used in various lighting projects and decorative pools.

Economically priced and suitable for all budgets, it provides decent light quality and comes in various color options.

Product Code	Product Name	Led Color	Price
PLCA001-CW	Cheetah 3 Power Led Ligting Fixture	Single Color	35 €
PLCA003	Cheetah 3 Power Led Ligting Fixture	Full RGB	42 €



Technical Specifications						
Code	PLCA001-CW	PLCA001-WW	PLCA001-R	PLCA001-G	PLCA001-B	PLCA003
Color	White	Daylight	Red	Green	Blue	Full RGB
Led Type	Power Led	Power Led	Power Led	Power Led	Power Led	Power Led
Led Quantity	3	3	3	3	3	3
Power (Watt)	3W±10%W	3W±10%W	3W±10%W	3W±10%W	3W±10%W	3W±10%W
Input Voltage	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VDC
Frequency	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	-
Lumen	<=180 Lm	<=162 Lm	<=120 Lm	<=165 Lm	<=39 Lm	<=128 Lm
Luminous Intensity	<=67 182 mcd	<=60 465 mcd	<=44 790 mcd	<=61 584 mcd	<=14 559 mcd	<=47 892 mcd
Operation Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Storage Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Standart Cable Lenght	1,20 m	1,20 m	1,20 m	1,20 m	1,20 m	1,20 m
Cable Specifications	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	4x0,75 mm² TTR
IP Class	IP68	IP68	IP68	IP68	IP68	IP68
Max Lifespan	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours

LIGHTING FIXTURES

3 POWER LED STAND-MOUNTED LIGHTING FIXTURES

These 3 Power Led lighting fixtures are manufactured as complete ABS, ABS body with stainless steel front or entirely AISI 304 stainless steel.

They are produced as either plastic or stainless steel stand-mounted units, suitable for use in decorative pools.

They have an IP68 protection rating and are available in different color options.

Product Code	Product Name	Led Color	Price
KABS004-CW	Complete Abs 3 Power Led Stand-Mounted Lighting	Single Color	37 €
KABS006	Complete Abs 3 Power Led Stand-Mounted Lighting	Full RGB	47 €




Product Code	Product Name	Led Color	Price
SKABS004-CW	Abs Body with Stainless Steel Front 3 Power Led Stand-Mounted Lighting	Single Color	47 €
SKABS006	Abs Body with Stainless Steel Front 3 Power Led Stand-Mounted Lighting	Full RGB	60 €

Product Code	Product Name	Led Color	Price
KK03-CW	Complete Stainless Steel 3 Power Led Stand-Mounted Lighting	Single Color	91 €
KK04	Complete Stainless Steel 3 Power Led Stand-Mounted Lighting	Full RGB	101 €



Technical Specifications						
Code	KK03-CW	KK03-WW	KK03-R	KK03-G	KK03-B	KK04
Code	KABS-004CW	KABS-004WW	KABS-004R	KABS-004G	KABS-004B	KABS-006
Code	SKABS-004CW	SKABS-004WW	SKABS-004R	SKABS-004G	SKABS-004B	SKABS-006
Color	White	Daylight	Red	Green	Blue	Full RGB
Led Type	Power Led	Power Led	Power Led	Power Led	Power Led	Power Led
Led Quantity	3	3	3	3	3	3
Power (Watt)	3W±10%W	3W±10%W	3W±10%W	3W±10%W	3W±10%W	3W±10%W
Input Voltage	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VDC
Frequency	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	-
Lumen	<=180 Lm	<=162 Lm	<=120 Lm	<=165 Lm	<=39 Lm	<=128 Lm
Luminous Intensity	<=67 182 mcd	<=60 465 mcd	<=44 790 mcd	<=61 584 mcd	<=14 559 mcd	<=47 892 mcd
Operation Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Storage Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Standart Cable Lenght	1,20 m	1,20 m	1,20 m	1,20 m	1,20 m	1,20 m
Cable Specifications	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	4x0,75 mm² TTR
IP Class	IP68	IP68	IP68	IP68	IP68	IP68
Max Lifespan	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours



LIGHTING FIXTURES



STAINLESS STEEL ECO TYPE DECORATIVE POOL LIGHTING FIXTURES

Handcrafted with precision by our stainless steel team, this product is used in many decorative pool projects and continues to be widely applied.

With an economical price and a wide range of color options, it is available as a 9 Power Led unit, produced in either AISI 304 quality matte or polished finish.

Customizable mounting options are available for different decorative pool projects.

Product Code	Product Name	Led Color	Price
LECO004-CW	9 Power Led Eco Type Stainless Steel Lighting Fixtures	Single Color	90 €
LECO006	9 Power Led Eco Type Stainless Steel Lighting Fixtures	Full RGB	100 €



Technical Specifications							
Code	LECO004-CW	LECO004-WW	LECO004-R	LECO004-G	LECO004-B	LECO005	LECO006
Color	White	Daylight	Red	Green	Blue	RGB	Full RGB
Led Type	Power Led	Power Led	Power Led	Power Led	Power Led	Power Led	Power Led
Led Quantity	9	9	9	9	9	9	9
Power (Watt)	10W±10%W	10W±10%W	10W±10%W	10W±10%W	10W±10%W	14W±10%W	14W±10%W
Input Voltage	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VDC	12V±1VDC
Frequency	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	-	-
Lumen	<=540 Lm	<=486 Lm	<=360 Lm	<=495 Lm	<=117 Lm	<=324 Lm	<=385 Lm
Luminous Intensity	<=201 546 mcd	<=181 395 mcd	<=134 370 mcd	<=184 752 mcd	<=43 677 mcd	<=120 933 mcd	<=15 964 mcd
Operation Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Storage Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Standart Cable Lenght	1,20 m	1,20 m	1,20 m	1,20 m	1,20 m	1,20 m	1,20 m
Cable Specifications	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	4x0,75 mm² TTR	4x0,75 mm² TTR
IP Class	IP68	IP68	IP68	IP68	IP68	IP68	IP68
Max Lifespan	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours

LIGHTING FIXTURES

STAINLESS STEEL LUXURY TYPE DECORATIVE POOL LIGHTING FIXTURES

Enhancing the prestige of pools with stainless steel elegance, the specially designed and high- efficiency “LUX TYPE” decorative pool lighting has earned its name.

It offers a valid solution for prestigious decorative pool projects, with 9 Power Led and 12 Power Led versions and diffrent color options. It exceeds expectations with its performance.

Product Code	Product Name	Led Color	Price
SPARK01-CW	9 Power Led Lux Type Stainless Steel Lighting Fixture	Single Color	100 €
SPARK05	9 Power Led Lux Type Stainless Steel Lighting Fixture	Full RGB	115 €
SPARK02-CW	12 Power Led Lux Type Stainless Steel Lighting Fixture	Single Color	110 €
SPARK06	12 Power Led Lux Type Stainless Steel Lighting Fixture	Full RGB	125 €



Technical Specifications

Code	SPARK01-CW	SPARK01-WW	SPARK01-R	SPARK01-G	SPARK01-B	SPARK05
Color	White	Daylight	Red	Green	Blue	Full RGB
Led Type	Power Led	Power Led	Power Led	Power Led	Power Led	Power Led
Led Quantity	9	9	9	9	9	9
Power (Watt)	9W±10%W	9W±10%W	9W±10%W	9W±10%W	9W±10%W	9W±10%W
Input Voltage	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VDC
Frequency	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	-
Lumen	≤540 Lm	≤486 Lm	≤360 Lm	≤495 Lm	≤117 Lm	≤385 Lm
Luminous Intensity	≤201 546 mcd	≤181 395 mcd	≤134 370 mcd	≤184 752 mcd	≤43 677 mcd	≤143 676 mcd
Operation Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Storage Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Standart Cable Lenght	1,20 m	1,20 m	1,20 m	1,20 m	1,20 m	1,20 m
Cable Specifications	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	4x0,75 mm² TTR
IP Class	IP68	IP68	IP68	IP68	IP68	IP68
Max Lifespan	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours

Technical Specifications

Code	SPARK02-CW	SPARK02-WW	SPARK02-R	SPARK02-G	SPARK02-B	SPARK06
Color	White	Daylight	Red	Green	Blue	Full RGB
Led Type	Power Led	Power Led	Power Led	Power Led	Power Led	Power Led
Led Quantity	12	12	12	12	12	12
Power (Watt)	12W±10%W	12W±10%W	12W±10%W	12W±10%W	12W±10%W	12W±10%W
Input Voltage	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VDC
Frequency	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	-
Lumen	≤720 Lm	≤648 Lm	≤480 Lm	≤660 Lm	≤156 Lm	≤513 Lm
Luminous Intensity	≤268 728 mcd	≤241 860 mcd	≤179 160 mcd	≤246 336 mcd	≤58 236 mcd	≤191 568 mcd
Operation Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Storage Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Standart Cable Lenght	1,20 m	1,20 m	1,20 m	1,20 m	1,20 m	1,20 m
Cable Specifications	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	4x0,75 mm² TTR
IP Class	IP68	IP68	IP68	IP68	IP68	IP68
Max Lifespan	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours

LIGHTING FIXTURES

STAINLESS STEEL SQUARE TYPE DECORATIVE POOL LIGHTING FIXTURES

Specially designed for dry pool applications and various other projects, this product Works differently in terms of operation and installation.



Made from AISI 304 stainless steel with a satin finish, it offers high quality and various color options.

Product Code	Product Name	Led Color	Price
CMTP001-CW	30x30 cm 12 Power Led Stainless Steel Lighting Fixtures	Single Color	280 €
CMTP007	30x30 cm 12 Power Led Stainless Steel Lighting Fixtures	Full RGB	325 €
CMTP002-CW	40x40 cm 12 Power Led Stainless Steel Lighting Fixtures	Single Color	295 €
CMTP008	40x40 cm 12 Power Led Stainless Steel Lighting Fixtures	Full RGB	340 €
CMTP003-CW	49x49 cm 12 Power Led Stainless Steel Lighting Fixtures	Single Color	310 €
CMTP009	49x49 cm 12 Power Led Stainless Steel Lighting Fixtures	Full RGB	365 €

❖ The fountain hole is adjusted according to the selected nozzle.



Technical Specifications						
Code	CMPT001-CW	CMPT001-WW	CMPT001-R	CMPT001-G	CMPT001-B	CMPT007
Color	White	Daylight	Red	Green	Blue	Full RGB
Led Type	Power Led	Power Led	Power Led	Power Led	Power Led	Power Led
Led Quantity	12	12	12	12	12	12
Power (Watt)	12W±10%W	12W±10%W	12W±10%W	12W±10%W	12W±10%W	12W±10%W
Input Voltage	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VDC
Frequency	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	-
Lumen	<=720 Lm	<=648 Lm	<=480 Lm	<=660 Lm	<=156 Lm	<=513 Lm
Luminous Intensity	<=268 728 mcd	<=241 860 mcd	<=179 160 mcd	<=246 336 mcd	<=58 236 mcd	<=191 568 mcd
Operation Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Storage Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Standart Cable Lenght	1,20 m	1,20 m	1,20 m	1,20 m	1,20 m	1,20 m
Cable Specifications	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	4x0,75 mm² TTR
IP Class	IP68	IP68	IP68	IP68	IP68	IP68
Max Lifespan	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours



*Fountain Hole Adjusts According to Selected Nozzle.

LIGHTING FIXTURES

STAINLESS STEEL ROUND TYPE DECORATIVE POOL LIGHTING FIXTURES

Designed Specifically for dry pool applications and various decorative pools, the base is made of AISI 304 stainless steel in a round form.

Available with 9 Power Led and 12 Power Led options and various color choices, it is IP68-rated for water resistance.

Product Code	Product Name	Led Color	Price
DPL001-CW	D. 490mm 12 Power Led Stainless Steel Lighting Fixture	Single Color	324 €
DPL002	D. 490mm 12 Power Led Stainless Steel Lighting Fixture	Full RGB	358 €



Product Code	Product Name	Led Color	Price
DPL003-CW	9 Power Led Stainless Steel Lighting Fixture (Fountain Entry 1/2")	Single Color	180 €
DPL004	9 Power Led Stainless Steel Lighting Fixture (Fountain Entry 1/2")	Full RGB	195 €



Product Code	Product Name	Led Color	Price
DPL004-CW	12 Power Led Stainless Steel Lighting Fixture (Fountain Entry 1,5")	Single Color	270 €
DPL005	12 Power Led Stainless Steel Lighting Fixture (Fountain Entry 1,5")	Full RGB	320 €



Technical Specifications						
Code	DPL001-CW	DPL001-WW	DPL001-R	DPL001-G	DPL001-B	DPL002
Color	White	Daylight	Red	Green	Blue	Full RGB
Led Type	Power Led	Power Led	Power Led	Power Led	Power Led	Power Led
Led Quantity	12	12	12	12	12	12
Power (Watt)	12W±10%W	12W±10%W	12W±10%W	12W±10%W	12W±10%W	12W±10%W
Input Voltage	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VDC
Frequency	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	-
Lumen	≤1332 Lm	≤1332 Lm	≤600 Lm	≤1000 Lm	≤332 Lm	≤1900 Lm
Operation Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Storage Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Standart Cable Lenght	1,20 m	1,20 m	1,20 m	1,20 m	1,20 m	1,20 m
Cable Specifications	2x0,75 mm ² TTR	2x0,75 mm ² TTR	2x0,75 mm ² TTR	2x0,75 mm ² TTR	2x0,75 mm ² TTR	4x0,75 mm ² TTR
IP Class	IP68	IP68	IP68	IP68	IP68	IP68
Max Lifespan	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours



Technical Specifications						
Code	DPL003-CW	DPL003-WW	DPL003-R	DPL003-G	DPL003-B	DPL004
Color	White	Daylight	Red	Green	Blue	Full RGB
Led Type	Power Led	Power Led	Power Led	Power Led	Power Led	Power Led
Led Quantity	9	9	9	9	9	9
Power (Watt)	9W±10%W	9W±10%W	9W±10%W	9W±10%W	9W±10%W	9W±10%W
Input Voltage	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VDC
Frequency	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	-
Lumen	≤1000 Lm	≤1000 Lm	≤450 Lm	≤750 Lm	≤250 Lm	≤1450 Lm
Operation Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Storage Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Standart Cable Lenght	1,20 m	1,20 m	1,20 m	1,20 m	1,20 m	1,20 m
Cable Specifications	2x0,75 mm ² TTR	2x0,75 mm ² TTR	2x0,75 mm ² TTR	2x0,75 mm ² TTR	2x0,75 mm ² TTR	4x0,75 mm ² TTR
IP Class	IP68	IP68	IP68	IP68	IP68	IP68
Max Lifespan	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours





LIGHTING FIXTURES

STAINLESS STEEL 36-LED AND 45-LED LIGHTING FIXTURES

Developed for large underwater areas, ponds and similar applications, these fixtures are available with 36 Power Leds and 45 Power Leds.

They are made from AISI 304 stainless steel and come in different color options with an IP68 protection rating.

Product Code	Product Name	Led Color	Price
KLP03-CW	L=1000 mm 36 Power Led Stainless Steel Lighting Fixture	Single Color	530 €
KLP04	L=1000mm 36 Power Led Stainless Steel Lighting Fixture	Full RGB	560 €



Technical Specifications						
Code	KLP03-CW	KLP03-WW	KLP03-R	KLP03-G	KLP03-B	KLP04
Color	White	Daylight	Red	Green	Blue	Full RGB
Led Type	Power Led	Power Led	Power Led	Power Led	Power Led	Power Led
Led Quantity	36	36	36	36	36	36
Power (Watt)	36W±10%W	36W±10%W	36W±10%W	36W±10%W	36W±10%W	36W±10%W
Input Voltage	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VAC	12V±1VDC
Frequency	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	-
Lumen	≤2160 Lm	≤1944 Lm	≤1440 Lm	≤1980 Lm	≤468 Lm	≤1540 Lm
Luminous Intensity	≤806 184 mcd	≤725 580 mcd	≤537 480 mcd	≤739 000 mcd	≤174 700 mcd	≤574 700 mcd
Operation	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Storage Temperature	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C	-30~+80°C
Standart Cable	1,20 m	1,20 m	1,20 m	1,20 m	1,20 m	1,20 m
Cable Specifications	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	2x0,75 mm² TTR	4x0,75 mm² TTR
IP Class	IP68	IP68	IP68	IP68	IP68	IP68
Max Lifespan	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours	50.000 hours

Special control units designed for managing your RGB lamps.

Available in 2-wire and 4-wire configurations, offering different application options and solutions. The same power supply and panel system are used for up to 12 products. For 20 or more lamps, project-based pricing is required.



Our modulator system is industry-preferred due to its ease of use, with control via a radio frequency remote that Works over 3 different channels up to 100 meters.

Enjoy color change just by turning the dial with your finger.

Please get a price before placing an order.

Product Code	Product Name
RKP001	RGB Control Unit 2 – 6 Lights
RKP002	RGB Control Unit for Up to 10 Lights 4-Wire
RKP003	RGB Control Unit for Up to 10 Lights 4-Wire (Economical Series)
RKP004	RGB Control Unit for Up to 20 Lights 4-Wire
RKP005-1	RGB Control Unit for 20 Lights Extension
RKP005	RGB Control Unit for Up to 10 Lights 2-Wire
RKP006	RGB Control Unit for Up to 20 Lights 2-Wire
RKP007	Single Led Single Color Control Unit (5V DC) for Up to 10 Lights
RKP008	Single Led Single Color Control Unit (5V DC) for Up to 20 Lights
RKP009	Single Led RGB Control Unit (5V DC) for Up to 10 Lights
RKP010	Single Led RGB Control Unit (5V DC) for Up to 10 Lights

Technical Specifications		
Code	RKP001	RKP002
Capacity	20 Led Bulbs	20 Led Bulbs
Cable Connection	4-Wire Connection	2-Wire Connection
Color Mode	18 Modes	18 Modes
Control Mode	Thouchable / RF Remote	Thouchable / RF Remote
Radio Frequency	433 MHZ	433 MHZ
Operating Temperature	-30~+60°C	-30~+60°C



❖ CLASSIC TRANSFORMERS

❖ GRADUAL TRANSFORMERS

❖ ISOLATED TRANSFORMERS



POOL TRANSFORMERS

Our transformers are available in 100 W, 300 W and 400 W options, with air-cooled or isolated types.


Mounted in black pastic casings, they have high dielectric strength an are equipped with fuses at the 220 V input.

The windings are made of copper, ensuring long life, high security, safety and easy intallation.

Product Code	Product Name	Price
TRF001	300 Watt 12 Volt Classic Transformer (Copper Wound)	42 €
TRF002	400 Watt 12 Volt Classic Transformer (Copper Wound)	45 €
TRF004	300 Watt 24 Volt Classic Transformer (Copper Wound)	45 €
TRF005	400 Watt 24 Volt Classic Transformer (Copper Wound)	48 €

Product Code	Product Name	Price
TRF006	100 Watt 12 Volt Isolated Transformer (Aluminum)	25 €
TRF007	300 Watt 12 Volt Isolated Transformer (Aluminum)	30 €

Product Code	Product Name	Price
TRF008	100 Watt 12 Volt Isolated Transformer (Copper Wound)	35 €
TRF009	300 Watt 12 Volt Isolated Transformer (Copper Wound)	45 €
TRF010	400 Watt 12 Volt Isolated Transformer (Copper Wound)	48 €
TRF011	100 Watt 24 Volt Isolated Transformer (Copper Wound)	37 €
TRF012	300 Watt 24 Volt Isolated Transformer (Copper Wound)	48 €
TRF013	400 Watt 24 Volt Isolated Transformer (Copper Wound)	52 €



Dimensions	MM
A	128 mm
B	130 mm
C	113,5 mm

TABLE - 1

Units (Voltage Distance Diagram): 300W – 12V 220V					
Distance in Meters	9	12	15	9	30
Cable Selection (2x4)	-1,5	-2	3	-	-
Cable Selection (2x6)	-	-1,5	-1,7	-2,7	-3,5

TABLE - 2

Units (Voltage Selection for 300W – 12V 220V – 12 – 14 – 16V. Gradual					
Distance in Meters	3-6-9	12	15	24	30
Cable Selection (2x4)	13	15	15	-	-
Cable Selection (2x6)	-	13	13	15	16

- ❖ SIEMENS MATERIAL ELECTRICAL CONTROL PANELS
- ❖ ECONOMIC MATERIAL CONTROL PANELS
- ❖ VILLA TYPE ELECTRICAL CONTROL PANELS
- ❖ ELECTRONIC CONTROL BUTTON AND SYSTEM (JACUZZI)



It controls the specified number of three-phase pumps. The used automats, contactors, motor protection are optional Siemens, Schneider or Far East materials.

There is one sequential phase protection relay. Outputs are made via Rail Terminals.

Controls are provide by pako switches. Pumps have Fault and Working signal lamps.

It is protected against leakage current.

Our panel production is specially made by considering the number of pumps and lamps according to your needs within the scope of your project.

Please get a quote for all your panel orders.

Product Code	Product Name
SMF0011	1 Pump 1 Group Lamp (6 Lamps) SIEMENS Control Panel
SMF0022	2 Pump 2 Group Lamp (12 Lamps) SIEMENS Control Panel
SMF0033	3 Pump 3 Group Lamp (18 Lamps) SIEMENS Control Panel
SMF0044	4 Pump 4 Group Lamp (24 Lamps) SIEMENS Control Panel
SMF0055	5 Pump 5 Group Lamp (30 Lamps) SIEMENS Control Panel



Product Code	Product Name
SCMF0011	1 Pump 1 Group Lamp (6 Lamps) SCHNEIDER Control Panel
SCMF0022	2 Pump 2 Group Lamp (12 Lamps) SCHNEIDER Control Panel
SCMF0033	3 Pump 3 Group Lamp (18 Lamps) SCHNEIDER Control Panel
SCMF0044	4 Pump 4 Group Lamp (24 Lamps) SCHNEIDER Control Panel
SCMF0055	5 Pump 5 Group Lamp (30 Lamps) SCHNEIDER Control Panel



Product Code	Product Name
MMF0011	1 Pump 1 Group Lamp (6 Lamps) ECONOMICAL MATERIAL Control Panel
MMF0022	2 Pump 2 Group Lamp (12 Lamps) ECONOMICAL MATERIAL Control Panel
MMF0033	3 Pump 3 Group Lamp (18 Lamps) ECONOMICAL MATERIAL Control Panel
MMF0044	4 Pump 4 Group Lamp (24 Lamps) ECONOMICAL MATERIAL Control Panel
MMF0055	5 Pump 5 Group Lamp (30 Lamps) ECONOMICAL MATERIAL Control Panel

It is generally used in villa pools. Its panel is a special small type.

Desired additions can be made.

Our panel production is made specially according to the needs of your project, taking into account the number of pumps and lamps.

Please get a quote for all your panel orders.

Product Code	Product Name
VTP001	Monophase Villa Type Electrical Control Panel (1 Pump + 5 Lamps)
VTP001-K	Monophase Villa Type Electrical Control Panel with Leakage Current Protection Relay (1 Pump + 5 Lamps)
VTP002	Three-Phase Villa Type Electrical Control Panel (1 Pump + 6 Lamps)
VTP002-K	Three-Phase Villa Type Electrical Control Panel with Leakage Current Protection Relay (1 Pump + 6 Lamps)
VTP003	Legrand Timer Addition
VTP004	Remote Control Addition

Product Code	Product Name
VTP001SC	Monophase Villa Type Electrical Control Panel (1 Pump + 5 Lamps) SCHNEIDER
VTP001SC-K	Monophase Villa Type Electrical Control Panel with Residual Current Protection Relay (1 Pump + 5 Lamps) SCHNEIDER
VTP002SC	Three-Phase Villa Type Electrical Control Panel (1 Pump + 6 Lamps) SCHNEIDER
VTP002SC-K	Three-Phase Villa Type Electrical Control Panel with Leakage Current Protection Relay (1 Pump + 6 Lamps) SCNEIDER
VTP003SC	Scneider Timer Addition
VTP004	Remote Control Addition



ELECTRICAL CONTROL PANELS

ELECTRONIC CONTROL BUTTON AND SYSTEM (JACUZZI)

220W / 230W / 50-60 Hz 1750W IPX5 feature pumo, lamp and blower functions are controlled by electronic system. It provides easy mounting for electrical control panels directly to rail and for outside the panel to wall. It can be applied with 220 V AC input voltage and independent contact outputs. It provides the opportunity to operate continuously or timed (7 min) separately for each contact block with timer switches on the control panel, saving the users from having to use a separate time clock.

Product Code	Product Name	Price
VTP003	Three Function Control Button System	210 €
VTP004	Three Function Control Button	70 €
VTP005	Three Function Electronic Control Box	140 €




Product Code	Product Name	Price
VTP006	Single Function Control Button System	180 €
VTP007	Single Function Control Button	60 €
VTP008	Single Function Electronic Control Box	120 €



Product Code	Product Name	Price
VTP009	Button Top Co ver Mirror (AISI 304 Quality)	50 €
VTP010	Button Top Co ver Mirror (AISI 316 Quality)	60 €
VTP011	Button Stainless Bottom Slot (AISI 304 Quality)	75 €
VTP012	Button Stainless Bottom Slot (AISI 316 Quality)	85 €




POOL LADDERS



POOL LADDERS

- ❖ STANDARD, MURO AND MIXTO POOL LADDERS
- ❖ OVERFLOW POOL LADDERS
- ❖ POOL EXIT LADDERS
- ❖ POOL LADDER SPARE PARTS
- ❖ POOL LADDER HANDLES
- ❖ HYDROTHERAPY (INCLINED) LADDERS
- ❖ SEA LANDING LADDERS



POOL LADDERS


AISI 304 QUALITY ANCHORED STANDARD, MURO AND MIXTO LADDERS

The body part is made of Ø42x1,5 mm glossy surface AISI 304 quality pipe, the step part is made of 1,2 mm thick non-slip glossy 304 quality stainless sheet. You can use it safely in your freshwater pools. It is suitable for use with anchors embedded in concrete.

AISI 304 QUALITY STAINLESS ANCHORED STANDARD LADDERS

Product Code	Product Name	Price
PSM022-304	2 Steps Standard Ladder (AISI 304)	165 €
PSM033-304	3 Steps Standard Ladder (AISI 304)	180 €
PSM044-304	4 Steps Standard Ladder (AISI 304)	200 €
PSM055-304	5 Steps Standard Ladder (AISI 304)	220 €


Step	A	B	C	D	E	F	Thickness
2	650	620	250	710	180	500	1,5 mm
3	650	620	250	960	180	500	
4	650	620	250	1210	180	500	
5	650	620	250	1460	180	500	



AISI 304 QUALITY STAINLESS ANCHORED MURO LADDERS

Product Code	Product Name	Price
PMM022-304	2 Steps Muro Ladder (AISI 304)	165 €
PMM033-304	3 Steps Muro Ladder (AISI 304)	180 €
PMM044-304	4 Steps Muro Ladder (AISI 304)	200 €
PMM055-304	5 Steps Muro Ladder (AISI 304)	220 €


Step	A	B	C	D	E	F	Thickness
2	350	620	250	710	180	500	1,5 mm
3	350	620	250	960	180	500	
4	350	620	250	1210	180	500	
5	350	620	250	1460	180	500	



AISI 304 QUALITY STAINLESS ANCHORED MIXTO LADDERS

Product Code	Product Name	Price
PSI022-304	2 Steps Mixto Ladder (AISI 304)	175 €
PSI033-304	3 Steps Mixto Ladder (AISI 304)	190 €
PSI044-304	4 Steps Mixto Ladder (AISI 304)	210 €
PSI055-304	5 Steps Mixto Ladder (AISI 304)	230 €

Step	A	B	C	D	E	F	G	Thickness
2	350	620	250	710	180	500	565	1,5 mm
3	350	620	250	960	180	500	565	
4	350	620	250	1210	180	500	565	
5	350	620	250	1460	180	500	565	



POOL LADDERS


AIISI 304 QUALITY FLANGED STANDARD, MURO AND MIXTO LADDERS

The body part is made of Ø42x1,5 mm glossy surface AISI 304 quality pipe, the step part is made of 1,2 mm thick non-slip glossy 304 quality stainless steel plate. You can use it safely in your freshwater pools. It is produced with flange.

AIISI 304 QUALITY STAINLESS FLANGED STANDARD LADDERS

Product Code	Product Name	Price
FSM022-304	2 Steps Standard Ladder (AISI 304)	185 €
FSM033-304	3 Steps Standard Ladder (AISI 304)	200 €
FSM044-304	4 Steps Standard Ladder (AISI 304)	220 €
FSM055-304	5 Steps Standard Ladder (AISI 304)	240 €


Step	A	B	C	D	E	F	Thickness
2	650	620	250	710	180	500	1,5 mm
3	650	620	250	960	180	500	
4	650	620	250	1210	180	500	
5	650	620	250	1460	180	500	



AIISI 304 QUALITY STAINLESS FLANGED MURO LADDERS

Product Code	Product Name	Price
FMM022-304	2 Steps Muro Ladder (AISI 304)	185 €
FMM033-304	3 Steps Muro Ladder (AISI 304)	200 €
FMM044-304	4 Steps Muro Ladder (AISI 304)	220 €
FMM055-304	5 Steps Muro Ladder (AISI 304)	240 €


Step	A	B	C	D	E	F	Thickness
2	350	620	250	710	180	500	1,5 mm
3	350	620	250	960	180	500	
4	350	620	250	1210	180	500	
5	350	620	250	1460	180	500	



AIISI 304 QUALITY STAINLESS FLANGED MIXTO LADDERS

Product Code	Product Name	Price
FSI022-304	2 Steps Mixto Ladder (AISI 304)	195 €
FSI033-304	3 Steps Mixto Ladder (AISI 304)	210 €
FSI044-304	4 Steps Mixto Ladder (AISI 304)	230 €
FSI055-304	5 Steps Mixto Ladder (AISI 304)	250 €

Step	A	B	C	D	E	F	G	Thickness
2	350	620	250	710	180	500	565	1,5 mm
3	350	620	250	960	180	500	565	
4	350	620	250	1210	180	500	565	
5	350	620	250	1460	180	500	565	



POOL LADDERS


AISI 316 QUALITY ANCHORED STANDARD, MURO AND MIXTO LADDERS

The body part is made of Ø42x1,5 mm glossy surface AISI 316 quality pipe, the step part is made of 1,2 mm thick non-slip glossy 316 quality stainless sheet. You can use it safely in all pool types. It is suitable for anchored use in concrete.

AISI 304 QUALITY STAINLESS ANCHORED STANDARD LADDERS

Product Code	Product Name	Price
PSM022	2 Steps Standard Ladder (AISI 316)	260 €
PSM033	3 Steps Standard Ladder (AISI 316)	280 €
PSM044	4 Steps Standard Ladder (AISI 316)	300 €
PSM055	5 Steps Standard Ladder (AISI 316)	340 €


Step	A	B	C	D	E	F	Thickness
2	650	620	250	710	180	500	1,5 mm
3	650	620	250	960	180	500	
4	650	620	250	1210	180	500	
5	650	620	250	1460	180	500	



AISI 304 QUALITY STAINLESS ANCHORED MURO LADDERS

Product Code	Product Name	Price
PMM022	2 Steps Muro Ladder (AISI 316)	260 €
PMM033	3 Steps Muro Ladder (AISI 316)	280 €
PMM044	4 Steps Muro Ladder (AISI 316)	300 €
PMM055	5 Steps Muro Ladder (AISI 316)	340 €


Step	A	B	C	D	E	F	Thickness
2	350	620	250	710	180	500	1,5 mm
3	350	620	250	960	180	500	
4	350	620	250	1210	180	500	
5	350	620	250	1460	180	500	



AISI AISI 304 QUALITY STAINLESS ANCHORED MIXTO LADDERS

Product Code	Product Name	Price
PSI022	2 Steps Mixto Ladder (AISI 316)	270 €
PSI033	3 Steps Mixto Ladder (AISI 316)	290 €
PSI044	4 Steps Mixto Ladder (AISI 316)	310 €
PSI055	5 Steps Mixto Ladder (AISI 316)	350 €

Step	A	B	C	D	E	F	G	Thickness
2	350	620	250	710	180	500	565	1,5 mm
3	350	620	250	960	180	500	565	
4	350	620	250	1210	180	500	565	
5	350	620	250	1460	180	500	565	



POOL LADDERS


AISI 316 QUALITY FLANGED STANDARD, MURO AND MIXTO LADDERS

The body part is made of Ø42x1,5 mm glossy surface AISI 316 quality pipe, the step part is made of 1,2 mm thick non slip glossy 316 quality stainless sheet. You can use it safely in all pool models. It is produced with flanges.

AISI 316 KALİTE PASLANMAZ FLANŞLI STANDART MERDİVENLER

Product Code	Product Name	Price
FSM022	2 Steps Standard Ladder (AISI 316)	280 €
FSM033	3 Steps Standard Ladder (AISI 316)	320 €
FSM044	4 Steps Standard Ladder (AISI 316)	350 €
FSM055	5 Steps Standard Ladder (AISI 316)	380 €


Step	A	B	C	D	E	F	Thickness
2	650	620	250	710	180	500	1,5 mm
3	650	620	250	960	180	500	
4	650	620	250	1210	180	500	
5	650	620	250	1460	180	500	



AISI 316 QUALITY STAINLESS FLANGED MURO LADDERS

Product Code	Product Name	Price
FMM022	2 Steps Muro Ladder (AISI 316)	280 €
FMM033	3 Steps Muro Ladder (AISI 316)	320 €
FMM044	4 Steps Muro Ladder (AISI 316)	350 €
FMM055	5 Steps Muro Ladder (AISI 316)	380 €


Step	A	B	C	D	E	F	Thickness
2	350	620	250	710	180	500	1,5 mm
3	350	620	250	960	180	500	
4	350	620	250	1210	180	500	
5	350	620	250	1460	180	500	



AISI 316 QUALITY STAINLESS FLANGED MIXTO LADDERS

Product Code	Product Name	Price
FSI022	2 Steps Mixto Ladder (AISI 316)	290 €
FSI033	3 Steps Mixto Ladder (AISI 316)	330 €
FSI044	4 Steps Mixto Ladder (AISI 316)	360 €
FSI055	5 Steps Mixto Ladder (AISI 316)	390 €

Step	A	B	C	D	E	F	G	Thickness
2	350	620	250	710	180	500	565	1,5 mm
3	350	620	250	960	180	500	565	
4	350	620	250	1210	180	500	565	
5	350	620	250	1460	180	500	565	



POOL LADDERS

ANCHORED OVERFLOW LADDERS

The body part is made of Ø42x1,5 mm shiny surface pipe, the step part is made of 1,2 mm thick non-slip shiny stainless sheet. The width of the ladders is 500 mm. In addition to AISI 304 and AISI 316 quality options, there are varieties with 900 mm and 1000 mm openings. It is suitable for use with anchors embedded in concrete.

❖ 900 MM SPAN ANCHORED OVERFLOW LADDERS

Product Code	Product Name	Quality	Price
OFM012-304	2 Step Overflow Ladder	AISI 304	200 €
OFM013-304	3 Step Overflow Ladder	AISI 304	240 €
OFM014-304	4 Step Overflow Ladder	AISI 304	280 €
OFM015-304	5 Step Overflow Ladder	AISI 304	320 €


Product Code	Product Name	Quality	Price
OFM012	2 Step Overflow Ladder	AISI 316	310 €
OFM013	3 Step Overflow Ladder	AISI 316	350 €
OFM014	4 Step Overflow Ladder	AISI 316	380 €
OFM015	5 Step Overflow Ladder	AISI 316	430 €

❖ 1000 MM SPAN ANCHORED OVERFLOW LADDERS

Product Code	Product Name	Quality	Price
OFM1022-304	2 Step Overflow Ladder	AISI 304	230 €
OFM1033-304	3 Step Overflow Ladder	AISI 304	280 €
OFM1044-304	4 Step Overflow Ladder	AISI 304	320 €
OFM1055-304	5 Step Overflow Ladder	AISI 304	360 €

Product Code	Product Name	Quality	Price
OFM1022	2 Step Overflow Ladder	AISI 316	340 €
OFM1033	3 Step Overflow Ladder	AISI 316	380 €
OFM1044	4 Step Overflow Ladder	AISI 316	420 €
OFM1055	5 Step Overflow Ladder	AISI 316	480 €

Step	A	B	C	Thickness
2	1558	787		
3	1808	1037	900 mm	
4	2058	1287	1000 mm	1,5 mm
5	2308	1537		



POOL LADDERS

FLANGED OVERFLOW LADDER

The body part is made of Ø42x1,5 mm shiny surface pipe, the step part is made of 1,2 mm thick non-slip shiny stainless sheet. The width of the ladder is 500 mm. In addition to AISI 304 and AISI 316 quality options, there are varieties with 900 mm and 1000 mm openings.

❖ 900 MM SPAN FLANGED OVERFLOW LADDERS

Product Code	Product Name	Quality	Price
FOFM012-304	2 Step Overflow Ladder	AISI 304	220 €
FOFM013-304	3 Step Overflow Ladder	AISI 304	260 €
FOFM014-304	4 Step Overflow Ladder	AISI 304	300 €
FOFM015-304	5 Step Overflow Ladder	AISI 304	340 €


Product Code	Product Name	Quality	Price
FOFM012	2 Step Overflow Ladder	AISI 316	330 €
FOFM013	3 Step Overflow Ladder	AISI 316	370 €
FOFM014	4 Step Overflow Ladder	AISI 316	400 €
FOFM015	5 Step Overflow Ladder	AISI 316	450 €

❖ 1000 MM SPAN FLANGED OVERFLOW LADDERS

Product Code	Product Name	Quality	Price
FOFM1022-304	2 Step Overflow Ladder	AISI 304	250 €
FOFM1033-304	3 Step Overflow Ladder	AISI 304	300 €
FOFM1044-304	4 Step Overflow Ladder	AISI 304	340 €
FOFM1055-304	5 Step Overflow Ladder	AISI 304	380 €

Product Code	Product Name	Quality	Price
FOFM1022	2 Step Overflow Ladder	AISI 316	360 €
FOFM1033	3 Step Overflow Ladder	AISI 316	400 €
FOFM1044	4 Step Overflow Ladder	AISI 316	440 €
FOFM1055	5 Step Overflow Ladder	AISI 316	480 €

Step	A	B	C	Thickness
2	1558	787		
3	1808	1037	900 mm	
4	2058	1287	1000 mm	1,5 mm
5	2308	1537		



POOL LADDERS



POOL EXIT LADDERS

❖ EASY EXIT LADDERS

The body parts is made of Ø42x1,5 mm shiny surface pipe, the step part is made of 1,5 mm pieces using non-slip padded shiny stainless sheet. It can used in all pool types.

Product Code	Product Name	Quality	Price
KCM01-304	3 Step Easy Exit Ladder	AISI 304	800 €
KCM02-304	4 Step Easy Exit Ladder	AISI 304	850 €
KCM03-304	5 Step Easy Exit Ladder	AISI 304	900 €

Product Code	Product Name	Quality	Price
KCM01-316	3 Step Easy Exit Ladder	AISI 316	900 €
KCM02-316	4 Step Easy Exit Ladder	AISI 316	950 €
KCM03-316	5 Step Easy Exit Ladder	AISI 316	1000 €



Step	A	B	C	D	E	F	Thickness
3	1810	712	250	650	230	650 mm	1,5 mm
4	2040	712	250	810	230		
5	2230	712	250	750	230		


❖ EXIT STAIRS ARMS

The body part is made of Ø42x1,5 mm shiny surface pipe, the step part is made of 1,2 mm thick non-slip shiny stainless sheet. AISI 304 and AISI 316 quality options are available.

Product Code	Product Name	Quality	Price
KLM022-304	2 Step + 1 Safety Step Ladder	AISI 304	400 €
KLM033-304	3 Step + 1 Safety Step Ladder	AISI 304	450 €

Product Code	Product Name	Quality	Price
KLM022-316	2 Step + 1 Safety Step Ladder	AISI 316	500 €
KLM033-316	3 Step + 1 Safety Step Ladder	AISI 316	560 €

Step	A	Thickness
2	2430	1,5 mm
3	2680	




❖ ARMLESS EXIT LADDERS

The body part is made of Ø42x1,5 mm shiny surface pipe, the step part is made of non-slip shiny stainless sheet in 1,2 mm areas. The width of the stairs is 500 mm. AISI 304 and AISI 316 quality options are available.

Product Code	Product Name	Quality	Price
KSM022-304	2 Stel Armless Exit Ladder	AISI 304	160 €
KSM033-304	3 Stel Armless Exit Ladder	AISI 304	175 €
KSM044-304	4 Stel Armless Exit Ladder	AISI 304	195 €
KSM055-304	5 Stel Armless Exit Ladder	AISI 304	230 €

Product Code	Product Name	Quality	Price
KSM022-316	2 Stel Armless Exit Ladder	AISI 316	195 €
KSM033-316	3 Stel Armless Exit Ladder	AISI 316	225 €
KSM044-316	4 Stel Armless Exit Ladder	AISI 316	265 €
KSM055-316	5 Stel Armless Exit Ladder	AISI 316	310 €

Step	A	B	C	D	Thickness
2	556	196	250	500	1,5 mm
3	806	196	250	500	
4	1056	196	250	500	
5	1306	196	250	500	




POOL LADDERS

POOL LADDER SPARE PARTS

You can obtain all the necessary spare parts for your classic type stairs.

Product Code	Product Name	Quality	Price
PTM03-S 316	105 mm Rosette	AISI 316	8,20 €
PTM03-M 316	130 mm Rosette	AISI 316	9,80 €
PTM03-X 316	152 mm Rosette	AISI 316	11,25 €
MAS01	Complete Plastic Ladder Anchor (for Ø42mm Pipe)	Plastic	5,00 €
PTM04	Stainless Steel Anchor on Concrete	AISI 304	18,00 €
PTM04-316	Stainless Steel Anchor on Concrete	AISI 316	24,00 €
PTM06	Ladder Step (Economic)	AISI 304	20,00 €
PTM07	Ladder Step (Side Wedges Stainless Steel)	AISI 304	30,00 €
PTM06-316	Ladder Step (Economic)	AISI 316	29,00 €
PTM07-316	Ladder Step (Side Wedges Stainless Steel)	AISI 316	38,00 €
PTM08	Ladder Wedge Rubber (Rubber)	Rubber	5,00 €
PTM09	Ladder Wedge Rubber (Plastic)	Plastic	3,00 €
PTM10	Ladder Step Bolt + Nut	AISI 316	5,00 €





POOL LADDERS

POOL LADDER HANDLES


It is produced using Ø42x1.5 mm shiny surface stainless pipe. There are AISI 304 and AISI 316 quality options. Special production can be made to suit all kinds of projects.

Product Code	Product Name	Quality	Price
PTU01	0,50 Mt. Stainless Steel Handle	AISI 304	51 €
PTU02	1,00 Mt. Stainless Steel Handle	AISI 304	61 €
PTU03	1,50 Mt. Stainless Steel Handle	AISI 304	76 €
PTU04	2,00 Mt. Stainless Steel Handle	AISI 304	88 €
PTU05	2,50 Mt. Stainless Steel Handle	AISI 304	98 €
PTU01-316	0,50 Mt. Stainless Steel Handle	AISI 316	63 €
PTU02-316	1,00 Mt. Stainless Steel Handle	AISI 316	75 €
PTU03-316	1,50 Mt. Stainless Steel Handle	AISI 316	93 €
PTU04-316	2,00 Mt. Stainless Steel Handle	AISI 316	110 €
PTU05-316	2,50 Mt. Stainless Steel Handle	AISI 316	120 €



Special manufacturing handles and grab bars are produced.

Product Code	Product Name	Quality	Price
PTM01	Ladder Handle (Large Type = A: 800 mm, B: 1525 mm, C: 855 mm)	AISI 304	241 €
PTM02	Ladder Handle (Small Type = A: 800 mm, B: 1220 mm, C: 680 mm)	AISI 304	216 €
PTM01-316	Ladder Handle (Large Type = A: 800 mm, B: 1525 mm, C: 855 mm)	AISI 316	290 €
PTM02-316	Ladder Handle (Small Type = A: 800 mm, B: 1220 mm, C: 680 mm)	AISI 316	260 €





POOL LADDERS

POOL LADDER HANDLES


These are models that will allow you to change your preferences and create a difference in order to visually change your pools. Manufactured using Ø42x1.5mm shiny surface stainless steel pipe. AISI 304 and AISI 316 quality options are available.

Product Code	Product Name	Quality	Price
KBT01	Short Nose Handle	AISI 304	169 €
KBT01	Short Nose Handle	AISI 316	240 €




Product Code	Product Name	Quality	Price
UBT02	Long Nose Handle (1200 mm)	AISI 304	220 €
UBT02	Long Nose Handle (1200 mm)	AISI 316	300 €

Product Code	Product Name	Quality	Price
UBM02	Long Nose Handle (1500 mm)	AISI 304	250 €
UBM02	Long Nose Handle (1500 mm)	AISI 316	330 €



Product Code	Product Name	Quality	Price
HCT01	Pool Exit Handle	AISI 304	220 €
HCT02	Pool Exit Handle	AISI 316	280 €

Product Code	Product Name	Quality	Price
HCT03	Pool Exit Handle Rectangular Flanged	AISI 304	250 €
HCT04	Pool Exit Handle Rectangular Flanged	AISI 316	350 €



POOL LADDERS



HYDROTHERAPY (INCLINED) LADDERS

Specially produced for your hydrotherapy pools, with a wide step option, the body part is made of Ø42x1.5mm shiny surface pipe, and the step part is made of 1.5mm thick shiny stainless sheet. AISI 304 and 316 quality options are available.

Product Code	Product Name	Quality	Price
HTM04	4 Step Hydrotherapy Ladder Complete Stainless Steel	AISI 304	1.050 €
HTM05	5 Step Hydrotherapy Ladder Complete Stainless Steel	AISI 304	1.200 €
HTM06	6 Step Hydrotherapy Ladder Complete Stainless Steel	AISI 304	1.300 €
HTM07	7 Step Hydrotherapy Ladder Complete Stainless Steel	AISI 304	1.500 €
HTM08	8 Step Hydrotherapy Ladder Complete Stainless Steel	AISI 304	1.650 €



Product Code	Product Name	Quality	Price
HTM04-316	4 Step Hydrotherapy Ladder Complete Stainless Steel	AISI 316	1.300 €
HTM05-316	5 Step Hydrotherapy Ladder Complete Stainless Steel	AISI 316	1.400 €
HTM06-316	6 Step Hydrotherapy Ladder Complete Stainless Steel	AISI 316	1.500 €
HTM07-316	7 Step Hydrotherapy Ladder Complete Stainless Steel	AISI 316	1.700 €
HTM08-316	8 Step Hydrotherapy Ladder Complete Stainless Steel	AISI 316	1.900 €



Steps	A	B	Ladder Width
4	850 mm	*	600 mm
5	850 mm	*	600 mm
6	850 mm	*	600 mm
7	850 mm	*	600 mm
8	850 mm	*	600 mm

*** It may vary depending on the depth of the pool.**

Selection Should Be Made According to Water Code.

Specially Manufactured.



POOL LADDERS


SEA LANDING LADDERS

Scaffolding Ladders are manufactured from AISI 316 Quality Stainless, suitable for sea water.

There is no production in AISI 304 Quality Stainless.

Product Code	Product Name	Quality	Price
ISKM05	5 Step Sea Landing Ladder	AISI 316	1.980 €
ISKM06	6 Step Sea Landing Ladder	AISI 316	2.200 €
ISKM07	7 Step Sea Landing Ladder	AISI 316	2.420 €
ISKM08	8 Step Sea Landing Ladder	AISI 316	2.640 €
ISKM09	9 Step Sea Landing Ladder	AISI 316	2.860 €
ISKM10	10 Step Sea Landing Ladder	AISI 316	3.080 €
ISKM11	11 Step Sea Landing Ladder	AISI 316	3.300 €

Step	A
5	2125 mm
6	2370 mm
7	2620 mm
8	2865 mm
9	3110 mm
10	3355 mm
11	3600 mm



B, C and D dimensions must be determined by you for production.






PLEASE GET A PRICE FOR YOUR TUBE AIR BED PROJECTS.

- ❖ VITALITYPOOL BED AND BANK MASSAGE SYSTEM
- ❖ COBRA, LUX AND SPECIAL TYPE WATERFALLS
- ❖ ECO AND STANDARD WATERFALLS
- ❖ WALL TYPE AND INTRA WALL WATERFALLS
- ❖ WATER CURTAIN – WALL TYPE
- ❖ AIR BED SYSTEMS
- ❖ AIR BASE SYSTEMS
- ❖ JACUZZI BLOWING AND AIR ADJUSTMENT NOZZLE
- ❖ WALL MASSAGE NOZZLES
- ❖ BOTTOM, SIDE AND WATER SUCTION GRILLS
- ❖ STAINLESS STEEL SKIMMERS
- ❖ ENGINE ROOM COVER AND BALANCE TANK COVER
- ❖ ENGINE ROOM AND BALANCE TANK LANDING LADDERS
- ❖ STANDARD, SPECIAL SHOWERS AND SQUARE SHOWER SYSTEM
- ❖ SHOWER TUNNELS
- ❖ MUSHROOM WATERFALLS
- ❖ PUMP PLATFORMS
- ❖ STAINLESS STEEL POOL LINKS
- ❖ STAINLESS STEEL PRE-FILTERS

IT IS REQUIRED TO GROUND INDIVIDUALLY FOR ALL STAINLESS PRODUCTS.



STAINLESS POOL EQUIPMENT

VITALITYPOOL BED AND BANK MASSAGE SYSTEM

A unique part of a perfect SPA is the Vitality Pool.

Vitality and wetness add a different atmosphere to the pool. High quality pool equipment in your pool provides air and water jet features to massage your back, neck and body in different shapes and sizes. Vitality pool generally operates at 38 degrees.

Selection of high quality equipment is mandatory in filtration and disinfection systems. In short, high quality complex engineering systems are aimed to come together and increase your quality of life. Systems established as regeneration pools in foreign terminologies have also been implemented in Turkey with their innovative and perfectionist application quality.

Vitality Pool will be manufactured on a project basis, in dimensions suitable for your pool.
All materials will be made of AISI 316 Quality Stainless Steel.



Please call us for detailed information and prices...


STAINLESS POOL EQUIPMENT

VITALITYPOOL BED AND BANK MASSAGE SYSTEM

Sitting and standing massage system, an indispensable part of Vitalitypool.

The system will be manufactured on a Project basis, in dimensions suitable for your pool.

All materials will be manufactured from AISI 316 quality stainless steel.



Please call us for detailed information and price...

COBRA TYPE WATERFALL

The cobra type waterfall is a product that is frequently used in SPA pools and has the feature of providing a relaxing water massage to the shoulder area.

It is produced with matt or glossy surfaces. In order to preserve the appearance of glossy surface products, they must be cleaned frequently with appropriate cleaning materials.

Product Code	Product Name	Quality	Price	Surface
KTS001	350x350 mm Mini Cobra Waterfall	AISI 304	220 €	Mat
KTS002	500x600 mm Economic Cobra Waterfall	AISI 304	330 €	Mat
KTS003	800x400 mm Cobra Waterfall	AISI 304	480 €	Mat
KTS004	900x600 mm Cobra Waterfall	AISI 304	520 €	Mat
KTS005*	500x600 mm Slim Cobra Waterfall	AISI 304	365 €	Mat
KTS006*	500x800 mm Slim Cobra Waterfall	AISI 304	440 €	Mat
KTS001-316	350x350 mm Mini Cobra Waterfall	AISI 316	260 €	Mat
KTS002-316	500x600 mm Economic Cobra Waterfall	AISI 316	400 €	Mat
KTS003-316	800x400 mm Cobra Waterfall	AISI 316	550 €	Mat
KTS004-316	900x600 mm Cobra Waterfall	AISI 316	600 €	Mat
KTS005-316*	500x600 mm Slim Cobra Waterfall	AISI 316	440 €	Mat
KTS006-316*	500x800 mm Slim Cobra Waterfall	AISI 316	530 €	Mat




An additional %10 price difference is applied to products with a glossy surface.

Bolts and Triphones are included.

Please Ask for Price for Anchor of the Product.



Product Code	A	B	C	D	E	F	G	Water Inlet
KTS001	350mm	425mm	210mm	385mm	370mm	180mm	260mm	Q50mm
KTS002	500mm	600mm	315mm	600mm	525mm	215mm	420mm	Q63mm
KTS003	400mm	815mm	290mm	690mm	760mm	235mm	480mm	Q63mm
KTS004	600mm	925mm	300mm	800mm	820mm	265mm	600mm	Q63mm
KTS005	500mm	610mm	240mm	475mm	545mm	170mm	350mm	Q63mm
KTS006	500mm	810mm	240mm	530mm	685mm	170mm	365mm	Q63mm



PLEASE NOTE !

- 1) If the water you will use is thermal or salt water, you may need to use a 316 quality or 316 Titanium alloy stainless product.
- 2) Separate grounding by authorized personnel is required for all products.
- 3) Glossy products need to be cleaned more frequently than matte products to maintain their appearance.
- 4) When using the products for the first time, clean the product thoroughly with a scotch bright cloth or similar material. This will eliminate dust and iron powder that may occur in the air or during transportation and may cause rust.
- 5) If your product looks rusty, check that your water doesn't contain iron.
- 6) It is recommended that authorized personnel clean products affected by iron powder using PELOX liquid and a mop while wearing gloves.
- 7) To obtain maximum efficiency from a CometePool product, use a product with the recommended pump power and have all connections made by authorized services.
- 8) Please specify whether the water inlet you will use in your product will be empty, sleeve or nipple.


This model, which is used to massage the shoulder area, will add visual richness to your pool with its waterfall appearance. It can be produced to suit all pools with 304 and 316 options.

Product Code	Product Name	Quality	Price	Surface
LTS001	1000x400 mm LUX Waterfall	AISI 304	600 €	Mat
LTS002	1000x500 mm LUX Waterfall	AISI 304	700 €	Mat
LTS003	1000x600 mm LUX Waterfall	AISI 304	800 €	Mat
LTS001-316	1000x400 mm LUX Waterfall	AISI 316	900 €	Mat
LTS002-316	1000x500 mm LUX Waterfall	AISI 316	1.000 €	Mat
LTS003-316	1000x600 mm LUX Waterfall	AISI 316	1.100 €	Mat

An additional %10 price difference is applied to products with a glossy surface.

Bolts and Triphones are included.

Please Ask for Price for Anchor of the Product.



Product Code	A	B	Connection	Pump Power	Wight	Package
LTS001	510mm	400mm	Ø63 mm	12 m³/h	29 kg	1
LTS002	610mm	500mm	Ø63 mm	20 m³/h	34 kg	1
LTS003	700mm	600mm	Ø63 mm	30 m³/h	39 kg	1

PLEASE NOTE !


- 1) If the water you will use is thermal or salt water, you may need to use a 316 quality or 316 Titanium alloy stainless product.
- 2) Separate grounding by authorized personnel is required for all products.
- 3) Glossy products need to be cleaned more frequently than matte products to maintain their appearance.
- 4) When using the products for the first time, clean the product thoroughly with a scotch bright cloth or similar material. This will eliminate dust and iron powder that may occur in the air or during transportation and may cause rust.
- 5) If your product looks rusty, check that your water doesn't contain iron.
- 6) It is recommended that authorized personnel clean products affected by iron powder using PELOX liquid and a mop while wearing gloves.
- 7) To obtain maximum efficiency from a CometePool product, use a product with the recommended pump power and have all connections made by authorized services.

Product Code	Product Name	Quality	Price	Surface
OTS001*	500x600 mm Special Flat Waterfall	AISI 304	500 €	Mat
OTS002*	500x800 mm Special Flat Waterfall	AISI 304	600 €	Mat
OTS003*	Dolphin Type Special Cobra Waterfall	AISI 304	360 €	Mat
OTS004*	S Type Special Waterfall	AISI 304	750 €	Mat
OTS001-316*	500x600 mm Special Flat Waterfall	AISI 316	600 €	Mat
OTS002-316*	500x800 mm Special Flat Waterfall	AISI 316	700 €	Mat
OTS003-316*	Dolphin Type Special Cobra Waterfall	AISI 316	450 €	Mat
OTS004-316*	S Type Special Waterfall	AISI 316	850 €	Mat






An additional %10 price difference is applied to products with a glossy surface.

Bolts and Triphones are included.

Please Ask for Price for Anchor of the Product.



Product Code	A	B	C	D	E	F	Water Inlet
OTS001	500mm	600mm	650mm	380mm	130mm	340mm	Ø63 mm
OTS002	500mm	800mm	650mm	380mm	130mm	340mm	Ø63 mm
OTS003	500mm	600mm	250mm	465mm	240mm	340mm	Ø63 mm
OTS004	500mm	955mm	560mm	780mm	150mm	385mm	Ø63 mm




PLEASE NOTE !

- 1) If the water you will use is thermal or salt water, you may need to use a 316 quality or 316 Titanium alloy stainless product.
- 2) Separate grounding by authorized personnel is required for all products.
- 3) Glossy products need to be cleaned more frequently than matte products to maintain their appearance.
- 4) When using the products for the first time, clean the product thoroughly with a scotch bright cloth or similar material. This will eliminate dust and iron powder that may occur in the air or during transportation and may cause rust.
- 5) If your product looks rusty, check that your water doesn't contain iron.
- 6) It is recommended that authorized personnel clean products affected by iron powder using PELOX liquid and a mop while wearing gloves.
- 7) To obtain maximum efficiency from a CometePool product, use a product with the recommended pump power and have all connections made by authorized services.
- 8) Please specify whether the water inlet you will use in your product will be empty, sleeve or nipple.


You can make a difference in your pool with waterfall models with different shooting shapes produced from AISI 304 and 316 quality stainless steel sheet.

Product Code	Product Name	Quality	Price	Surface
EKT01	1000x400 mm Eco (Swan) Waterfall	AISI 304	600 €	Mat
EKT02	1000x600 mm Eco (Swan) Waterfall	AISI 304	700 €	Mat
EKT01-316	1000x400 mm Eco (Swan) Waterfall	AISI 316	740 €	Mat
EKT02-316	1000x600 mm Eco (Swan) Waterfall	AISI 316	860 €	Mat

An additional %10 price difference is applied to products with a glossy surface.




Code	A	B	C	D	E	F	Pump	Connection
EKT01	1000mm	400mm	555mm	140mm	185mm	90mm	12 m³/h	Ø63mm
EKT02	1000mm	600mm	555mm	140mm	185mm	90mm	30 m³/h	Ø63mm




Product Code	Product Name	Quality	Price	Surface
STS001	1000x400 mm Standard Waterfall	AISI 304	700 €	Mat
STS002	1000x500 mm Standard Waterfall	AISI 304	800 €	Mat
STS003	1000x600 mm Standard Waterfall	AISI 304	900 €	Mat
STS001-316	1000x400 mm Standard Waterfall	AISI 316	800 €	Mat
STS002-316	1000x500 mm Standard Waterfall	AISI 316	900 €	Mat
STS003-316	1000x600 mm Standard Waterfall	AISI 316	1.000 €	Mat

An additional %10 price difference is applied to products with a glossy surface.



Code	A	B	C	Pump	Connection
STS01	610 mm	1000 mm	400 mm	12 m³/h	Ø63 mm
STS02	610 mm	1000 mm	500 mm	20 m³/h	Ø63 mm
STS03	610 mm	1000 mm	600 mm	30 m³/h	Ø63 mm



STAINLESS POOL EQUIPMENT

WALL TYPE AND INTRA WALL WATERFALLS


You can make a difference in your room with waterfall models with different throw ranges produced from AISI 304 and 316 quality stainless steel sheet.

Product Code	Product Name	Quality	Price	Surface
DTS001	137x300 mm Wall Type Waterfall	AISI 304	200 €	Mat
DTS002	137x500 mm Wall Type Waterfall	AISI 304	300 €	Mat
DTS001-316	137x300 mm Wall Type Waterfall	AISI 316	280 €	Mat
DTS002-316	137x500 mm Wall Type Waterfall	AISI 316	380 €	Mat

An additional %10 price difference is applied to products with a glossy surface.



Code	A	B	C	Weight	Pump	Connection
DTS01	225 mm	300 mm	137 mm	7 kg	12 m ³ /h	Ø50 mm
DTS02	225 mm	500 mm	137 mm	9 kg	20 m ³ /h	Ø50 mm




Product Code	Product Name	Quality	Price	Surface
DTS003	65x500 mm Intra Wall Waterfall	AISI 304	300 €	Mat
DTS003-316	65x500 mm Intra Wall Waterfall	AISI 316	380 €	Mat

An additional %10 price difference is applied to products with a glossy surface.



Code	A	B	C	Weight	Pump	Connection
DTS03	225 mm	65 mm	500 mm	4,935gr	20 m ³ /h	Ø50 mm



STAINLESS POOL EQUIPMENT

WATER CURTAIN – WALL TYPE


It is manufactured from AISI 304 and 316 quality stainless steel sheet. It is a model that you can use to block the weeping wall.

Product Code	Product Name	Quality	Price	Surface
DTSP001	0,30 m Wide Water Curtain- Wall Type	AISI 304	250 €	Mat
DTSP002	0,50 m Wide Water Curtain- Wall Type	AISI 304	300 €	Mat
DTSP003	1,00 m Wide Water Curtain- Wall Type	AISI 304	420 €	Mat
DTSP004	1,50 m Wide Water Curtain- Wall Type	AISI 304	700 €	Mat
DTSP005	2,00 m Wide Water Curtain- Wall Type	AISI 304	900 €	Mat
DTSP006	3,00 m Wide Water Curtain- Wall Type	AISI 304	1.300 €	Mat

An additional %10 price difference is applied to products with a glossy surface.

Product Code	Product Name	Quality	Price	Surface
DTSP001	0,30 m Wide Water Curtain- Wall Type	AISI 316	288 €	Mat
DTSP002	0,50 m Wide Water Curtain- Wall Type	AISI 316	345 €	Mat
DTSP003	1,00 m Wide Water Curtain- Wall Type	AISI 316	483 €	Mat
DTSP004	1,50 m Wide Water Curtain- Wall Type	AISI 316	805 €	Mat
DTSP005	2,00 m Wide Water Curtain- Wall Type	AISI 316	1.035 €	Mat
DTSP006	3,00 m Wide Water Curtain- Wall Type	AISI 316	1.495 €	Mat

An additional %10 price difference is applied to products with a glossy surface.




**WE CAN ADJUST THE LENGTH OF YOUR WATER CURTAINS
ACCORDING TO YOUR PROJECT.
PLEASE ASK FOR A SPECIAL PRICE.**



It is manufactured from AISI 304 and 316 quality stainless steel sheet. There are two types as full system and half system.

2.2 Blowers are required for full system air bed and 1.1 Blowers are required for half system air bed.

Product Code	Product Name	Quality	Price
PHMY01	Air Bed Single Full System	AISI 304	1.000 €
PHMY01-316	Air Bed Single Full System	AISI 316	1.200 €



Product Code	Product Name	Quality	Price
PHMY04	Air Bed Single Half System	AISI 304	650 €
PHMY04-316	Air Bed Single Half System	AISI 316	850 €




It is produced from AISI 304 and 316 quality stainless steel sheet. It has round, square and rectangular options.

Product Code	Product Name	Quality	Price
HTS01	Ø345 mm Round Air Floor System	AISI 304	250 €
HTS01-316	Ø345 mm Round Air Floor System	AISI 316	350 €



Product Code	Connection	A	B	C	Blower	Weight
HTS01	2"	53,5mm	345mm	60mm	1,1KW Blower	3,80 kg



Product Code	Product Name	Quality	Price
HTS02	300X300 mm Air Floor System	AISI304	250 €
HTS03	500X500 mm Air Floor System	AISI304	350 €
HTS04	750X750 mm Air Floor System	AISI304	450 €
HTS02-316	300X300 mm Air Floor System	AISI316	300 €
HTS03-316	500X500 mm Air Floor System	AISI316	400 €
HTS04-316	750X750 mm Air Floor System	AISI316	500 €




Product Code	A	B	C	Weight	Blower
HTS02	300mm	300mm	85mm	5,50kg	1,1KW Blower
HTS03	500mm	500mm	85mm	14,50kg	1,1KW Blower
HTS04	750mm	750mm	85mm	28,50kg	1,1KW Blower


Product Code	Product Name	Quality	Price
HTS05	520X170 mm Air Floor System	AISI304	140 €
HTS05-316	520X170 mm Air Floor System	AISI316	160 €




Product Code	Connection	A	B	C	Blower	Weight
HTS05	1,5"	85mm	520mm	170mm	1,1KW Blower	3,80 kg



Product Code	Product Name	Quality	Price
JHUN	Jacuzzi Blow Nozzle	AISI 304	15 €
JHUN-316	Jacuzzi Blow Nozzle	AISI 316	23 €



Product Code	Product Name	Quality	Price
JHAN	1 1/2" Jacuzzi Air Adjustment Nozzle*	AISI 304	25 €
JHAN-316	1 1/2" Jacuzzi Air Adjustment Nozzle*	AISI 316	35 €



STAINLESS POOL EQUIPMENT

WALL MASSAGE NOZZLES


It is produced in two separate models, short and long, to be used in massage systems for pools.

There are AISI 304 or 316 quality options.

Product Code	Product Name	Quality	Price
DMN01	Short Type Wall Massage Nozzle	AISI 304	280 €
DMN01-316	Short Type Wall Massage Nozzle	AISI 316	350 €

*There are sleeve and nipple options.


Product Code	Connection	Pump
DMN01	2"	20 m ³ /h
A	130mm	
B	120mm	
C	85mm	
Ağırlık	1,15 kg	



Product Code	Product Name	Quality	Price
DMN02	Long Type Wall Massage Nozzle	AISI 304	350 €
DMN02-316	Long Type Wall Massage Nozzle	AISI 316	450 €

*There are sleeve and nipple options.

Product Code	Connection	Pump
DMN02	2"	20 m ³ /h
A	410 mm	
B	100 mm	
C	165 mm	
Ağırlık	2,70 kg	



This product, used for draining pool water, is produced in two types as square bottom suction and round side suction. AISI 304 and 316 quality options are available.


Product Code	Product Name	Quality	Price
PDS02	250x250 mm Drain Grill	AISI 304	63 €
PDS03	300x300 mm Drain Grill	AISI 304	76 €
PDS04	400x400 mm Drain Grill	AISI 304	110 €
PDS05	450x450 mm Drain Grill	AISI 304	119 €
PDS06	500x500 mm Drain Grill	AISI 304	140 €
PDS07	600x600 mm Drain Grill	AISI 304	161 €
PDS08	700x700 mm Drain Grill	AISI 304	204 €
PDS09	Ø250 mm Wall Drain Grill	AISI 304	162 €
PDS10	Ø400 mm Wall Drain Grill	AISI 304	204 €
PDS02-316	250x250 mm Drain Grill	AISI 316	78 €
PDS03-316	300x300 mm Drain Grill	AISI 316	94 €
PDS04-316	400x400 mm Drain Grill	AISI 316	134 €
PDS05-316	450x450 mm Drain Grill	AISI 316	145 €
PDS06-316	500x500 mm Drain Grill	AISI 316	170 €
PDS07-316	600x600 mm Drain Grill	AISI 316	195 €
PDS08-316	700x700 mm Drain Grill	AISI 316	245 €
PDS09-316	Ø250 mm Wall Drain Grill	AISI 316	198 €
PDS10-316	Ø400 mm Wall Drain Grill	AISI 316	298 €
PDS11	Overflow Drainage Grill	AISI 316	23 €


*An Additional %10 Price Difference is Applied to Products with a Glossy Surface.



Product Code	A	B	Number Of Holes	Weight
PDS02	250 mm	25 mm	256	1,77 kg
PDS03	300 mm	25 mm	400	2,30 kg
PDS04	400 mm	25 mm	784	3,40 kg
PDS05	450 mm	25 mm	1024	4,60 kg
PDS06	500 mm	25 mm	1296	5,24 kg
PDS07	600 mm	25 mm	1936	6,78 kg
PDS08	700 mm	25 mm	2809	7,40 kg
PDS09	Ø250 mm	33 mm	122	0,85 kg
PDS10	Ø400 mm	33 mm	230	1,30 kg

Please Get a Price for Special Sizes...






STAINLESS POOL EQUIPMENT


STAINLESS STEEL SKIMMERS

It is used for surface water cleaning in your non-overflow pools. It is produced using AISI 304 and 316 quality stainless steel sheets.

Product Code	Product Name	Quality	Price
P2001-304	Stainless Steel Skimmer	AISI 304	120 €
P2001-316	Stainless Steel Skimmer	AISI 316	160 €






Product Code	Product Name	Quality	Price
P2002	Stainless Skimmer	AISI 304	€500
P2003	Stainless Skimmer	AISI 316	€600







STAINLESS POOL EQUIPMENT

STAINLESS STEEL SKIMMERS

Product Code	Product Name	Quality	Price
P2006*	Stainless Steel Slim Skimmer	AISI 304	850 €
P2007*	Stainless Steel Slim Skimmer	AISI 316	950 €



Product Code	Product Name	Quality	Price
P2008	Stainless Steel Pond Skimmer Without Pump	AISI 304	700 €
P2009	Stainless Steel Pond Skimmer With Pump	AISI 304	950 €
P2010	Stainless Steel Pond Skimmer Without Pump	AISI 316	840 €
P2011	Paslanmaz Gölet Skimmeri Pompalı	AISI 316	1.140 €





STAINLESS POOL EQUIPMENT

ENGINE ROOM COVER AND BALANCE TANK COVER

It is manufactured from AISI 304 and 316 quality stainless steel for your pool machine rooms.



Product Code	Product Name	Quality	Price
MAK01	110x110 cm Engine Room Cover (With Locked Shock Absorber)	AISI 304	750 €
MAK02	100x100 cm Engine Room Cover (With Locked Shock Absorber)	AISI 304	700 €
MAK03	90x90 cm Engine Room Cover (With Locked Shock Absorber)	AISI 304	650 €
MAK04	80x80 cm Engine Room Cover (With Locked Shock Absorber)	AISI 304	600 €

Product Code	Product Name	Quality	Price
MAK01	110x110 cm Engine Room Cover (With Locked Shock Absorber)	AISI 316	850 €
MAK02	100x100 cm Engine Room Cover (With Locked Shock Absorber)	AISI 316	800 €
MAK03	90x90 cm Engine Room Cover (With Locked Shock Absorber)	AISI 316	750 €
MAK04	80x80 cm Engine Room Cover (With Locked Shock Absorber)	AISI 316	700 €



Product Code	Product Name	Quality	Price
DEK01	50x50 cm Balance Tank Cover (Without Shock Absorber)	AISI 304	300 €
DEK02	60x60 cm Balance Tank Cover (Without Shock Absorber)	AISI 304	350 €
DEK03	70x70 cm Balance Tank Cover (Without Shock Absorber)	AISI 304	400 €

Product Code	Product Name	Quality	Price
DEK01	50x50 cm Balance Tank Cover (Without Shock Absorber)	AISI 316	350 €
DEK02	60x60 cm Balance Tank Cover (Without Shock Absorber)	AISI 316	400 €
DEK03	70x70 cm Balance Tank Cover (Without Shock Absorber)	AISI 316	450 €




STAINLESS POOL EQUIPMENT

ENGINE ROOM AND BALANCE TANK LANDING LADDERS


These are box profile stairs that you can use to descend to the machine room. They are available in AISI 304 and 316 quality.

Product Code	Product Name	Price
MAKİM01	140-160 cm Engine Room Landing Ladder or Balance Tank Ladder AISI 304	270 €
MAKİM02	170-190 cm Engine Room Landing Ladder or Balance Tank Ladder AISI 304	300 €
MAKİM01	140-160 cm Engine Room Landing Ladder or Balance Tank Ladder AISI 304	350 €
MAKİM02	170-190 cm Engine Room Landing Ladder or Balance Tank Ladder AISI 304	380 €






Product Code	Product Name	Quality	Price
PTSD01	Standard 1 Head Shower	AISI 304	240€
PTSD01A	Standard 2 Head Shower	AISI 304	600€
PTSD01B	Standard 1 Head 1 Foot Washing Shower	AISI 304	300€
PTSD02	Standard 4 Head Shower	AISI 304	1.300€
PTSD03	Standard 4 Head 3 Foot Washing Shower	AISI 304	1.380€

Product Code	Product Name	Quality	Price
PTSD01-316	Standard 1 Head Shower	AISI 316	300€
PTSD01A-316	Standard 2 Head Shower	AISI 316	730€
PTSD01B-316	Standard 1 Head 1 Foot Washing Shower	AISI 316	330€
PTSD02-316	Standard 4 Head Shower	AISI 316	1.450€
PTSD03-316	Standard 4 Head 3 Foot Washing Shower	AISI 316	1.650€



Product Code	Product Name	Quality	Price
PTOD01	Ellegance Model Shower*	AISI 304	800 €
PTOD02	Next Generation Model Shower*	AISI 304	650 €
PTOD03	Star Model Shower*	AISI 304	550 €


Product Code	Product Name	Quality	Price
PTOD01-316	Ellegance Model Shower*	AISI 316	900 €
PTOD02-316	Next Generation Model Shower*	AISI 316	850 €
PTOD03-316	Star Model Shower*	AISI 316	670 €

**ELLEGANCE****NEXT GENERATION****STAR**


Our new Model square shower system, which will take the elegance of your poolside to the highest level, is produced in AISI 304 and 316 quality. It has a single head and a single foot wash.

Product Code	Product Name	Quality	Price
KDS01	Stainless Short Shower System*	AISI 304	700 €
KDS02	Stainless Square Shower System*	AISI 304	800 €

Product Code	Product Name	Quality	Price
KDS01-316	Stainless Short Shower System*	AISI 316	750 €
KDS02-316	Stainless Square Shower System*	AISI 316	850 €



STAINLESS SHORT SHOWER SYSTEM



STAINLESS SQUARE SHOWER SYSTEM

Product Code	Product Name	Dimensions	Quality	Price
PTDT01	3 Head Single Arch Shower	1200 mm	AISI 304	1.200 €
PTDT02	5 Head Single Arch Shower	1200 mm	AISI 304	1.275 €
PTDT03	7 Head Single Arch Shower	1200 mm	AISI 304	1.500 €
PTDT04	7 Head Double Arched Shower Tunnel	1200 mm	AISI304- Acrylic Panel	3.520 €

- *It is made of AISI 304 quality stainless steel with photocell, valve and control system.*

Product Code	Product Name	Dimensions	Quality	Price
PTDT01-316	3 Head Single Arch Shower	1200 mm	AISI 316	1.564 €
PTDT02-316	5 Head Single Arch Shower	1200 mm	AISI 316	1.660 €
PTDT03-316	7 Head Single Arch Shower	1200 mm	AISI 316	1.780 €
PTDT04-316	7 Head Double Arched Shower Tunnel	1200 mm	AISI316-Akrilik Panel	4.650 €



Product Code	Product Name	Quality	Price
PBT01	Stainless Steel Bar Stool	AISI 304	500 €
PBT02	Stainless Steel Bar Stool	AISI 316	600 €



Product Code	Product Name	Quality	Price
MTS01	Mushroom Waterfall Small Type 1000 mm	Polyester-AISI 304	950 €
MTS02	Mushroom Waterfall Small Type 1600 mm	Polyester-AISI 304	1.350 €
MTS03	Mushroom Waterfall Small Type 2000 mm	Polyester-AISI 304	1.950 €
MTS01-316	Mushroom Waterfall Small Type 1000 mm	Polyester-AISI 316	1.200 €
MTS02-316	Mushroom Waterfall Small Type 1600 mm	Polyester-AISI 316	1.680 €
MTS03-316	Mushroom Waterfall Small Type 2000 mm	Polyester-AISI 316	2.600 €



- **Made of Polyester (Fibreglas).**
- **The price includes the 2.50 mt. Stainless steel carrier pipe of the mushroom. The water inlet is at the bottom.**





Code	A	B	C
MTS01	1000 mm	1000 mm	90 mm
MTS02	1600 mm	2100 mm	100 mm
MTS03	2000 mm	2100 mm	125 mm



Product Code	Product Name	Quality	Price
GPP01	Small Pump Platform	Galvanized	18 €
GPP02	Large Pump Platform	Galvanized	37 €
PPP01	Small Pump Platform	AISI 304	70 €
PPP02	Large Pump Platform	AISI 304	110 €
PPP03	Small Pump Platform	AISI 316	90 €
PPP04	Large Pump Platform	AISI 316	140 €


*Platforms are produced in desired dimensions.



Product Code	Product Name	Quality	Price
PSZ01	Stainless Pool Links 150x25x1000 mm	AISI 304	80 €
PSZ02	Stainless Pool Links 200x25x1000 mm	AISI 304	130 €
PSZ03	Stainless Pool Links 250x25x1000 mm	AISI 304	180 €
PSZ04	Stainless Pool Links 150x25x1000 mm	AISI 316	98 €
PSZ05	Stainless Pool Links 200x25x1000 mm	AISI 316	158 €
PSZ06	Stainless Pool Links 250x25x1000 mm	AISI 316	218 €

*An additional %10 price difference applies to glossy surface products.

Please get a price for special sizes...



STAINLESS POOL EQUIPMENT

STAINLESS STEEL PRE-FILTERS



It is a product that facilitates the cleaning of your pools by collecting all the garbage in the pool water in its basket. It is produced with AISI 304 and 316 quality stainless sheet, special production air vent and butterfly nut.

Product Code	Product Name	Quality	Price
PPOF001	2" Pre-Filter	AISI 304	288 €
PPOF002	2 ½" Pre-Filter	AISI 304	315 €
PPOF003	3" Pre-Filter	AISI 304	344 €
PPOF004	4" Pre-Filter	AISI 304	400 €
PPOF005	5" Pre-Filter	AISI 304	550 €
PPOF006	6" Pre-Filter	AISI 304	650 €
PPOF008	8" Pre-Filter	AISI 304	930 €
PPOF001-316	2" Pre-Filter	AISI 316	350 €
PPOF002-316	2 ½" Pre-Filter	AISI 316	400 €
PPOF003-316	3" Pre-Filter	AISI 316	438 €
PPOF004-316	4" Pre-Filter	AISI 316	495 €
PPOF005-316	5" Pre-Filter	AISI 316	630 €
PPOF006-316	6" Pre-Filter	AISI 316	800 €
PPOF008-316	8" Pre-Filter	AISI 316	1.050 €



Product Code	A	B	C	Connection	Weight
PPOF001	280 mm	360 mm	396 mm	2"	13.1 kg
PPOF002	280 mm	360 mm	396 mm	2 ½"	13.4 kg
PPOF003	280 mm	360 mm	400 mm	3"	13.7 kg
PPOF004	280 mm	360 mm	420 mm	4"	14,1 kg
PPOF005	280 mm	360 mm	396 mm	5"	14,7 kg
PPOF006	330 mm	450 mm	450 mm	6"	21,9 kg
PPOF008	400 mm	610 mm	600 mm	8"	32,1 kg

Please get a price for special sizes...



- ❖ POOL GRATES AND GRATE CORNER PIECES
- ❖ SKIMMERS, JUNCTION BOX AND AIR SETTING NOZZLE
- ❖ HOSE, HOSE ADAPTER AND TELESCOPIC HANDLE
- ❖ FEEDING NOZZLES
- ❖ POOL CLEANING EQUIPMENT



PLASTIC EQUIPMENT

POOL GRATES AND GRATE CORNER PIECES

Product Code	Product Name	Price
LINKS01	14,5 cm Single Pass Grille	8 €
LINKS02	20 cm Single Pass Grille	8,70 €
LINKS03	25 cm Single Pass Grille	9,50 €

*Different Color Grid Options Available.

LINKS01



LINKS02



LINKS03



Product Code	Product Name	Price
PDS001	250x250 mm Plastic Drain Grill	9,70 €
KPP001	15X90° Corner Piece	6,00 €
KPP002	20X45° Corner Piece	6,00 €
KPP003	20X90° Corner Piece	6,00 €
KPP004	25X45° Corner Piece	7,00 €
KPP005	25X90° Corner Piece	7,00 €
IKP001	Grid Corner Profile	2,00 €

PDS001



KPP001



KPP002



KPP003



KPP004



KPP005



IKP001



PLASTIC EQUIPMENT

SKIMMERS, JUNCTION BOX AND AIR SETTING NOZZLE

Product Code	Product Name	Price
S2001	ABS Mini Skimmer	30 €
S2002	ABS Short Square Skimmer	40 €



Product Code	Product Name	Price
BTK001	Junction Box	18 €

*Different Color Junction Box Options Available.



Product Code	Product Name	Price
HAN001	Air Adjustment Nozzle	12 €

* Different Color Air Adjustment Nozzle Options Available.



PLASTIC EQUIPMENT

HOSE, HOSE ADAPTER AND TELESCOPIC HANDLE

Product Code	Product Name	Price
HRT001	1 1/2 " Hose Adapter	3,20 €
HRT001-A	2" Hose Adapter	3,20 €
HRT002	38 mm Hose 1 1/2"	3,30 €
HRT003	50 mm Hose 2"	4,80 €

Made of EVA. Resistant to UV rays, slightly flexible. Doesn't sink in water and is ideal for pool cleaning.

Balls are sold in 30 mt. package.



Product Code	Product Name	Price
TES01	2x2 Telescopic Handle – White	28 €
TES02	2x3 Telescopic Handle – White	33 €
TES03	2x4 Telescopic Handle – White	38 €
TES04	2x2,40 Telescopic Handle – Blue	28 €
TES05	2x3,50 Telescopic Handle – Blue	36 €



Product Code	Product Name	Material	Price
BN001-T1	Bottom Feeding Nozzle	ABS	1,90 €
BN002	Wall (Side) Feeding Nozzle	ABS	1,90 €
BN003	Vacuum Nozzle	ABS	1,90 €
BN001-R	Bottom Feeding Nozzle (Light Grey – Anthracite – Black Color Options)	ABS	2,30 €
BN002-R	Wall (Side) Feeding Nozzle (Light Grey – Anthracite – Black Color Options)	ABS	2,30 €
BN003-R	Vacuum Nozzle (Light Grey – Anthracite – Black Color Options)	ABS	2,30 €
BN008	Bottom Feeding Nozzle Ø50 mm	ABS	2,30 €
BN009	Wall (Side) Feeding Nozzle Ø50 mm	ABS	2,30 €
BN010	Vacuum Nozzle Ø50 mm	ABS	2,30 €
BN001-SS	Bottom Feeding Nozzle Stainless Steel Cover and Plastic Body	AISI 304-ABS	20 €
BN001-SS2	Bottom Feeding Nozzle Stainless Steel Cover and Plastic Body	AISI 304-ABS	30 €
BN002-SS	Wall (Side) Feeding Nozzle Stainless Steel Cover and Plastic Body	AISI 304-ABS	30 €
BN003-SS	Vacuum Nozzle Stainless Steel Cover and Plastic Body	AISI 304-ABS	30 €
BN004-SS	Bottom Feeding Nozzle Stainless Steel Cover and Plastic Body	AISI 316-ABS	25 €
BN005-SS	Bottom Feeding Nozzle Stainless Steel Cover and Plastic Body	AISI 316-ABS	35 €
BN006-SS	Wall (Side) Feeding Nozzle Stainless Steel Cover and Plastic Body	AISI 316-ABS	35 €
BN007-SS	Vacuum Nozzle Stainless Steel Cover and Plastic Body	AISI 316-ABS	35 €
BN008	Bottom Feeding Nozzle Stainless Steel Cover Plastic Body Ø50 mm	AISI 316-ABS	24 €
BN009	Wall Feeding Nozzle Stainless Steel Cover Plastic Body Ø50 mm	AISI 316-ABS	34 €
BN010	Vacuum Nozzle Stainless Steel Cover Plastic Body Ø50 mm	AISI 316-ABS	34 €



BN001-T1



BN001-T2



BN002



BN003



**BN001-SS
BN004-SS**



**BN001-SS2
BN005-SS**



**BN002-SS
BN006-SS**



**BN003-SS
BN007-SS**


PLASTIC EQUIPMENT

POOL CLEANING EQUIPMENT

Product Code	Product Name	Price
P1201	Economic Type Pool Scoop	9,10 €
P1220	Deep (Luxury) Type Pool Scoop	11 €
P1423	26 cm Flat Type Brush	8,5 €
P1422	18"/45 cm Curved	9,8 €
P1405	10"/26 cm Cr-Ni Wire Algae Brush	19 €
P1503	Easy-To-Read Jumbo Thermometer	23 €
P1508	Floating Type Thermometer (4 Different Animal Figures)	14 €
P1509	Floating Type Thermometer (Small Animal Figures in 4 Different Shapes)	14 €
P1511	Floating Type Large Pool Thermometer	35 €
P1901	Dispenser Lux Type for 3" Tablets	12,6 €
P3001	1 1/2" Broom	42 €
P3002	2" Broom	47 €
SC001	2" Stainless Steel Broom Fork (AISI 304)	56 €





Stainless broom fork is custom manufactured.



OLYMPIC POOL ACCESSORIES





- ❖ SEPARATOR COLLECTING CARTS
- ❖ LIFEGUARD CHAIR AND REFEREE CHAIR
- ❖ FIXED JUMP PLATFORMS
- ❖ ADJUSTABLE SKIPPING PLATFORMS
- ❖ LANE SEPARATORS
- ❖ RETURN WARNING POLES AND WRONG EXIT SING POLES
- ❖ VARIOUS OLYMPIC POOL ACCESSORIES
- ❖ TURNING PANELS



It is produced in two different sizes for the collection of separators used in swimming pools. You can obtain it in AISI 304 and 316 quality.


Product Code	Product Name	Quality	Price
STA01	1200 Separator Collecting Cart	AISI 304	750 €
STA02	1800 Separator Collecting Cart	AISI 304	1050 €
STA03	1200 Separator Collecting Cart	AISI 316	980 €
STA04	1800 Separator Collecting Cart	AISI 316	1270 €

Length	A	B	C	D	E	F	G	H
1200 mm	1484 mm	1135 mm	974 mm	1175 mm	685 mm	980 mm	924 mm	1130 mm
1800 mm	2036 mm	1684 mm	1526 mm					



It is produced using AISI 304 ve 316 quality stainless steel pipes and sheets. The seat part is plastic.

Product Code	Product Name	Quality	Price
HKS01	Referee Chair with Wheels Made of 43 mm Pipe	AISI 304	750 €
HKS02	Referee Chair with Wheels Made of 43 mm Pipe	AISI 316	850 €






OLYMPIC POOL ACCESSORIES



FIXED JUMP PLATFORMS

It is manufactured using AISI 304 and 316 quality stainless steel sheet and pipe as well as a polyester non-slip upper platform for your swimming pools. 400 mm and 700 mm options are available.

Product Code	Product Name	Quality	Price
SAP001	400 mm Fixed Jump Platform	AISI 304	360 €
SAP002	400 mm Fixed Jump Platform	AISI 316	420 €



Product Code	Product Name	Quality	Price
SAP003	700 mm Fixed Jump Platform	AISI 304	420 €
SAP004	700 mm Fixed Jump Platform	AISI 316	520 €






OLYMPIC POOL ACCESSORIES




ADJUSTABLE SKIPPING PLATFORMS

It is produced using AISI 304 and AISI 316 quality stainless plate and pipe as well as polyester non-slip upper platform for your swimming pools. There are 400 mm and 700 mm options. It is adjustable.

Product Code	Product Name	Quality	Price
AAP001	400 mm Adjustable Skipping Platform	AISI 304	620 €
AAP002	400 mm Adjustable Skipping Platform	AISI 316	840 €



Product Code	Product Name	Quality	Price
AAP003	700 mm Adjustable Skipping Platform	AISI 304	820 €
AAP004	700 mm Adjustable Skipping Platform	AISI 316	970 €




LANE SEPARATORS

These separators, made of the best quality plastic material to separate the lanes in your swimming pools, have two options: Seoul and Rome models.

Product Code	Product Name	Price
KS001	Seoul Model 25 mt. Lane Separator	380 €
KS002	Seoul Model 50 mt. Lane Separator	830 €
KS003	Rome Model 25 mt. Lane Separator	230 €
KS004	Rome Model 50 mt. Lane Separator	480 €
KS005	Separator Ball	0,85 €
Ks006	Separator Carcass	0,85 €



Seoul Type




ROME TYPE



Product Code	Product Name	Quality	Price
GDD01	12.5 Mt. Return Warning Poles	AISI 304	160 €
GDD02	25 Mt. Return Warning Poles	AISI 304	235 €
GDD03	12.5 Mt. Return Warning Poles	AISI 316	240 €
GDD04	25 Mt. Return Warning Poles	AISI 316	350 €


The system includes rope, flags and poles. Anchor is not included.

It is manufactured from Ø43 mm stainless pipe for 21 mt. pools and from Ø48 mm stainless pipe for 25 mt. pools.



Product Code	Product Name	Quality	Price
YCD01	12.5 Mt. False Exit Sign Posts	AISI 304	135 €
YCD02	25 Mt. False Exit Sign Posts	AISI 304	170 €
YCD03	12.5 Mt. False Exit Sign Posts	AISI 316	185 €
YCD04	25 Mt. False Exit Sign Posts	AISI 316	215 €

The system includes rope, ball and poles. Anchor is not included.









OLYMPIC POOL ACCESSORIES


VARIOUS OLYMPIC POOL ACCESSORIES

Product Code	Product Name	Quality	Price	
OSY02	Separator Tensioner (With Ratchet)	AISI 304	70 €	
OSG01	Separator Tensioner	AISI 304	48 €	
OSY01	Separator Tensioner Spring	AISI 304	58 €	
ODC01	Straight Hook	AISI 304	8 €	
OSY03	Flat Anchor with Pipka	AISI 304	52 €	
PDA01	Piston Flat Anchor	AISI 304	52 €	
SUAK01	Above Water Hanger Hook	AISI 304	30 €	
PDA02-A	Flat Anchor	AISI 304	30 €	
PDA02		AISI316	55 €	
PDA03-A	Fin System Inclined Anchor	AISI 304	30 €	
PDA03		AISI 316	55 €	
PDA04	Bolted Anchor	AISI 304	40 €	

TURNING PANELS

Product Code	Product Name	Quality	Price	
ODON01	L= 2Mt. Turning Panel (Excluding Anchor)	AISI 304	210 €	
ODON01-316	L= 2Mt. Turning Panel (Excluding Anchor)	AISI 316	340 €	
ODON02	L= 2.50Mt. Turning Panel (Excluding Anchor)	AISI 304	270 €	
ODON02-316	L= 2.50Mt. Turning Panel (Excluding Anchor)	AISI 316	380 €	
ODON03	Dual Panel Support (In Pair)	AISI 304	140 €	
ODON03-316	Dual Panel Support (In Pair)	AISI 316	240 €	
ODON04	Quad Panel Support	AISI 304	180 €	
ODON04-316	Quad Panel Support	AISI 316	280 €	





- ❖ FINGER JET FOUNTAINS
- ❖ CASCADE GEYSERS
- ❖ TWO PIPES FOAM NOZZLE, ROTARY AND UMBRELLA TYPE FOUNTAINS
- ❖ WATER FILM, HAND TYPE AND FOG TYPE FOUNTAINS
- ❖ VOLCANO TYPE NOZZLES
- ❖ STAINLESS STEEL FOAM NOZZLES
- ❖ PLASTIC FOUNTAINS
- ❖ SPHERE AND WORLD FOUNTAINS
- ❖ FLOATING FOUNTAINS
- ❖ CHROME WATER BELLS
- ❖ STAINLESS STEEL JUMPING JET NOZZLE



FOUNTAINS

FINGER JET FOUNTAINS

Finger jets are the most commonly used fountains in ornamental pools and provide a straight shot.


Our sprinklers have a wide angle joint due to our special production.

The new series is also available in our self-valve fountains. It can be made in yellow and chrome plated upon request.


Product Code	Product Name	Material	Price
PPF01	1/4" Finger Jet Fountain Self Valve	Bronze	16 €
PPF02	1/2" Finger Jet Fountain	Bronze	16,50 €
PPF03	3/4" Finger Jet Fountain	Bronze	22 €
PPF04	1" Finger Jet Fountain	Bronze	33 €
PPF05	1 1/2" Finger Jet Fountain	Bronze	132 €
PPF06	2" Finger Jet Fountain	Bronze	188,50 €
PPF07	1" Long Type Finger Jet Fountain	Bronze	68,25 €
PPF08	1 1/2" Long Type Finger Jet Fountain	Bronze	182 €
PPF09	1/2" Finger Jet Fountain Self Valve	Bronze	30,90 €
PPF10	3/4" Finger Jet Fountain Self Valve	Bronze	39,85 €
PPF11	1" Finger Jet Fountain Self Valve	Bronze	70 €
PPF01-K	1/4" Finger Jet Fountain Self Valve	Chrome Plated	20,50 €
PPF02-K	1/2" Finger Jet Fountain	Chrome Plated	22,50 €
PPF03-K	3/4" Finger Jet Fountain	Chrome Plated	23 €
PPF04-K	1" Finger Jet Fountain	Chrome Plated	36,50 €
PPF05-K	1 1/2" Finger Jet Fountain	Chrome Plated	140,50 €
PPF06-K	2" Finger Jet Fountain	Chrome Plated	212 €
PPF07-K	1" Long Type Finger Jet Fountain	Chrome Plated	80 €
PPF08-K	1 1/2" Long Type Finger Jet Fountain	Chrome Plated	210 €
PPF09-K	1/2" Finger Jet Fountain Self Valve	Chrome Plated	34,25 €
PPF10-K	3/4" Finger Jet Fountain Self Valve	Chrome Plated	44 €
PPF11-K	1" Finger Jet Fountain Self Valve	Chrome Plated	79,50 €



JETS	1/4" With Valve	1/2"	3/4"	1"	1" Long Type	1 1/2"	1 1/2" Long Type	2"
A	73 mm	67 mm	90 mm	112 mm	161 mm	202 mm	192 mm	220 mm
B	21 mm	23 mm	35 mm	42 mm	35,6 mm	53 mm	54 mm	72 mm
C	6,5 mm	7 mm	9,3 mm	11,2 mm	16,2 mm	15 mm	26 mm	13 mm
Material	Bronze	Bronze	Bronze	Bronze	Bronze	Bronze	Bronze	Bronze
Weight	60 gr	40 gr	80 gr	140 gr	360 gr	390 gr	1080 gr	610 gr
Connection	Male	Female	Female	Female	Male	Female	Male	Female



Water Height (Meters)	1/4"		1/2"		3/4"		1"		1 1/2"	
	m³/h	mSS	m³/h	mSS	m³/h	mSS	m³/h	mSS	m³/h	mSS
0,50	0,36	0,75	0,57	0,70	0,93	0,65	1,29	0,60	2,52	0,60
0,75	0,43	1,10	0,69	1,00	1,12	0,90	1,55	0,80	3,12	0,90
1,00	0,56	1,40	0,76	1,30	1,31	1,20	1,87	1,10	3,73	1,10
1,50	0,68	2,00	1,02	1,80	1,70	1,75	2,39	1,70	4,58	1,70
2,00			1,23	2,40	2,02	2,35	2,81	2,30	5,34	1,90
2,50			1,40	3,20	2,30	3,05	3,19	2,90	6,01	2,20
3,00			1,57	3,90	2,57	3,75	3,52	3,60	6,60	3,40
4,00			1,84	5,40	2,97	5,10	4,10	4,80	7,66	4,60
5,00							4,61	6,10	8,14	5,20
6,00							5,08	7,40	8,60	5,80
8,00							5,89	10,00	10,21	
(Meters)	Take Elbow Losses Into Consideration...									



FOUNTAINS

CASCADE GEYSERS

These are frequently used fountains when foam shooting is desired. Thanks to our production, it has a movable joint, the water shooting angle can be adjusted. Chrome plating can be done upon request.


Product Code	Product Name	Material	Price
F0001	50T 1" Cascade Geysers	Bronze	61,25 €
F0002	70T 1 1/2" Cascade Geysers	Bronze	100 €
F0003	90T 2" Cascade Geysers	Bronze	135 €
F0004	110T 2 1/2" Cascade Geysers	Bronze	428,75 €
F0005	130T 3" Cascade Geysers	Bronze	787,50 €
F0001-K	50T 1" Cascade Geysers	Chrome Plated	72,5 €
F0002-K	70T 1 1/2" Cascade Geysers	Chrome Plated	116,2 €
F0003-K	90T 2" Cascade Geysers	Chrome Plated	156,25 €
F0004-K	110T 2 1/2" Cascade Geysers	Chrome Plated	446,25 €
F0005-K	130T 3" Cascade Geysers	Chrome Plated	806,25 €



m³/h DIAGRAM

Water Height (Meters)	50T		70T		90T		110T		130T	
	m³/h	mSS	m³/h	mSS	m³/h	mSS	m³/h	mSS	m³/h	mSS
1,00	2,63	4,10	5,82	4,00	9,43	3,30	19,57	2,90	22,78	3,60
2,00	3,49	7,30	7,48	6,60	12,49	5,80	21,44	5,30	29,30	6,00
3,00	4,49	12,00	8,84	9,20	14,95	8,30	22,92	7,60	34,63	8,40
4,00	4,78	13,60	10,01	11,80	17,06	10,90	26,23	10,00	39,25	10,80
5,00	5,30	16,80	11,07	14,40	18,95	13,40	29,18	12,30	43,38	13,40
6,00			12,04	17,10	20,66	15,90	31,86	14,70	47,20	15,50
7,00			12,93	19,70	22,25	18,50	34,35	17,10	50,70	17,90
8,00					23,74	21,00	36,66	19,50	54,00	20,40
10,00					26,48	26,10	40,94	24,20	60,06	25,20
12,00							44,82	29,10	65,64	31,10
14,00							48,41	33,90	70,80	35,00
(Metre)										

Take Elbow Losses Into Consideration...




Geysers	50T	70T	90T	110T	130T
A	136 mm	182 mm	213 mm	230 mm	340 mm
B	51 mm	75 mm	80 mm	96 mm	135 mm
C	118 mm	153 mm	187 mm	200 mm	295 mm
Material	Bronze	Bronze	Bronze	Bronze	Bronze
Weight	240gr	510gr	820gr	1550gr	5470gr
Connection	1"	1 1/2"	2"	2 1/2"	3"

FOUNTAINS

TWO PIPES FOAM NOZZLE, ROTARY AND UMBRELLA TYPE FOUNTAINS

Product Code	Product Name	Material	Price
KFN01	1" Two Pipes Foam Nozzle	Bronze	67,50 €
KFN02	2" Two Pipes Foam Nozzle	Bronze	126,25 €
KFN01-K	1" Two Pipes Foam Nozzle	Chrome Plated	75 €
KFN02-K	2" Two Pipes Foam Nozzle	Chrome Plated	146,25 €




Two Pipes Foam Nozzle	1"	2"
A	160 mm	215 mm
B	35 mm	55 mm
C	31 mm	45 mm
Material	Bronze	Bronze
Weight	310 gr	960 gr



Water Height H =1,00Mt - 7 m³/h

Water Height H =2,00Mt - 12 m³/h

Product Code	Product Name	Material	Price
DFN01	1" Rotating Fountain	Bronze	155 €
DFN01-K	1" Rotating Fountain	Chrome Plated	172,50 €




Rotating Fountain	1"
A	153 mm
B	370 mm
C	54 mm
Material	Bronze
Weight	770 gr
Number of Arms	4 Pieces



Water Height H =1,00Mt - 7 m³/h

Product Code	Product Name	Material	Price
TFN01	1" Umbrella Type Fountain	Bronze	58,75 €
TFN02	2" Umbrella Type Fountain	Bronze	152,50 €
TFN01-K	1" Umbrella Type Fountain	Chrome Plated	67,50 €
TFN02-K	2" Umbrella Type Fountain	Chrome Plated	181,25 €



Umbrella Type Fountain	1"	2"
A	125 mm	150 mm
B	60 mm	93 mm
C	31 mm	45 mm
Material	Bronze	Bronze
Weight	230gr	620gr




Water Height H =0,40Mt - 3 m³/h

Water Height H =0,60Mt - 4 m³/h

FOUNTAINS


WATER FILM, HAND TYPE AND FOG TYPE FOUNTAINS

Product Code	Product Name	Material	Price
YFN01	1" Water Film	Bronze	110 €
YFN02	2" Water Film	Bronze	121,25 €
YFN01-K	1" Water Film	Chrome Plated	122,50 €
YFN02-K	2" Water Film	Chrome Plated	140 €




Water Film	1"	2"
A	127 mm	208 mm
B	73 mm	139 mm
C	31 mm	45 mm
Material	Bronze	Bronze
Weight	390 gr	800 gr

Product Code	Product Name	Material	Price
ETP001	1" Hand Type Fountain	Bronze	210 €
ETP001-K	1" Hand Type Fountain	Chrome Plated	227,50 €




Hand Type Fountain	1"
A	185 mm
B	140 mm
Material	Bronze
Weight	1090 gr
Number of Arms	6 Pieces

Product Code	Product Name	Material	Price
FL004	1" Fog Type Fountain	Bronze	102,50 €
FL004-K	1" Fog Type Fountain	Chrome Plated	117,50 €



Fog Type Fountain	1"
A	45 mm
B	58 mm
C	10 mm
Material	Bronze
Weight	200 gr


Product Code	Product Name	Material	Price
JVN01	1" Single Jet Volcano Nozzle	Bronze	77,50 €
JVN01-K	1" Single Jet Volcano Nozzle	Chrome Plated	90 €



Single Jet Volcano Nozzle	1"
A	93 mm
B	72 mm
C	8 mm
Material	Bronze
Weight	260 gr




Product Code	Product Name	Material	Price
MVN01	1" Jetless Volcano Nozzle	Bronze	67,50 €
MVN01-K	1" Jetless Volcano Nozzle	Chrome Plated	77,50 €



Jetless Volcano Nozzle	1"
A	76 mm
B	72 mm
Material	Bronze
Weight	260 gr



Product Code	Product Name	Material	Price
JVN02	2" Multi-Jet Volcano Nozzle	Bronze	431,25 €
JVN02-K	2" Multi-Jet Volcano Nozzle	Chrome Plated	446,25 €




Multi-Jet Volcano Nozzle	2"
A	187 mm
B	140 mm
Material	Bronze
Weight	2200 gr
Number of Jets	19 Pieces



Product Code	Product Name	Price
PKN01	35-10E 1" Stainless Steel Foam Nozzle (Bronze Ball)	50 €
PKN01-X	35-10E 1" Stainless Steel Foam Nozzle (Internal Parts are Plastic)	35 €
PKN01-Y	55-10E 1" Stainless Steel Foam Nozzle (Bronze Ball)	80 €
PKN02	55-15E 1 1/2" Stainless Steel Foam Nozzle (Bronze Ball)	85 €
PKN02-X	55-15E 1 1/2" Stainless Steel Foam Nozzle (Internal Parts are Plastic)	65 €
PKN03	75-20E 2" Stainless Steel Foam Nozzle (Internal Parts are Plastic)	140 €





35-10E Foam Nozzle m³/h				55-15E Foam Nozzle m³/h				75-20E Foam Nozzle m³/h			
3,10 m³/h	0,25Mt	7,10 m³/h	2,00 Mt	6,00 m³/h	0,25 Mt	15,00 m³/h	2,00 Mt	14,00 m³/h	0,25 Mt	28,00 m³/h	2,00 Mt
3,90 m³/h	0,50 Mt	7,80 m³/h	2,50 Mt	7,50 m³/h	0,50 Mt	17,00 m³/h	2,50 Mt	16,00 m³/h	0,50 Mt	32,00 m³/h	2,50 Mt
4,70 m³/h	0,75 Mt	8,30 m³/h	3,00 Mt	9,00 m³/h	0,75 Mt	19,00 m³/h	3,00 Mt	18,00 m³/h	0,75 Mt	36,00 m³/h	3,00 Mt
5,90 m³/h	1,00 Mt	9,00 m³/h	3,50 Mt	11,00 m³/h	1,00 Mt	21,00 m³/h	3,50 Mt	20,00 m³/h	1,00 Mt	40,00 m³/h	3,50 Mt
6,50 m³/h	1,50 Mt	9,60 m³/h	4,00 Mt	13,00 m³/h	1,50 Mt	23,00 m³/h	4,00 Mt	24,00 m³/h	1,50 Mt	44,00 m³/h	4,00 Mt



1" 35-10E Foam Nozzle	1"
A	157 mm
B	48 mm
C	31 mm
Material	Bronze
Weight	280 gr

1,5" 55-15E Foam Nozzle	1,5"
A	195 mm
B	80 mm
C	48 mm
Material	Bronze
Weight	1440 gr




2" 75-20E Foam Nozzle	2"
A	265 mm
B	102 mm
C	72 mm
Material	Bronze
Weight	2350 gr


FOUNTAINS

PLASTIC FOUNTAINS

Product Code	Product Name	Price
PPN01	1" 35-10E Plastic Foam Nozzle	22 €
PPN02	1/2" 20-10E Plastic Foam Nozzle	17 €




35-10E Plastic Nozzle	1"
A	137 mm
B	54 mm
C	31 mm
Material	Plastic
Weight	140 gr




20-10E Plastic Nozzle	1/2"
A	102 mm
B	40 mm
C	23 mm
Material	Plastic
Weight	70 gr

Product Code	Product Name	Price
PPN03	1" Plastic Jet Volcano Nozzle	23 €
PPN04	1/2" Plastic Jet Volcano Nozzle	17 €
PPN07	1/2" Plastic Mini Volcano Nozzle	9,90 €




Plastic Jet Volcano	1"	1/2"
A	93 mm	58 mm
B	104 mm	65 mm
Material	Plastic	Plastic
Weight	150 gr	40 gr




Mini Volcano	1/2"
A	37 mm
B	32 mm
Material	Plastik
Weight	20 gr

Product Code	Product Name	Price
PPN05	1/2" Plastic Umbrella Nozzle	17 €
PPN06	1/2" Plastic Umbrella Nozzle (Short Model)	17 €



Plastic Umbrella	1/2"
A	192 mm
B	53 mm
Material	Plastic
Weight	70 gr



Plastic Umbrella (Short)	1/2"
A	108 mm
B	61,5 mm
Material	Plastic
Weight	60 gr

FOUNTAINS

SPHERE AND WORLD FOUNTAINS

Product Code	Product Name	Price
FSK01	Diameter =1500 mm Maximum 106 Arm Sphere	4.000 €
FSK02	Diameter =2000 mm Maximum 106 Arm Sphere	6.000 €
FSK03	Diameter =2500 mm Maximum 150 Arm Sphere	9.000 €
FSK04	Diameter =3000 mm Maximum 186 Arm Sphere	11.000 €



Product Code	Product Name	Price
DSK01	Diameter = 690 mm World Figured Fountain	4.000 €
DSK02	Diameter = 840 mm World Figured Fountain	6.000 €
DSK03	Diameter = 1300 mm World Figured Fountain	15.000 €
DSK04	Diameter = 1800 mm World Figured Fountain	21.000 €
DSK05	Diameter = 2200 mm World Figured Fountain	24.900 €




FOUNTAINS

FLOATING FOUNTAINS

Product Code	Product Name	Price
YSK01	Floating Fountain System – 8 Pieces Plastic Lighting Fixture (Single Color)	2.900 €
YSK02	Floating Fountain System – 8 Pieces Plastic Lighting Fixture (RGB Color)	3.050 €
YSK03	Floating Fountain System – 8 Pieces Plastic Lighting Fixture (FULL RGB Color)	3.500 €



Product Code	Product Name	Price
KSC001	1" 30-10T Chrome Water Bell	102 €
KSC002	1" 45-10T Chrome Water Bell	122 €
KSC003	1" 60-10T Chrome Water Bell	147 €



Product	m ³ /h
1" 30-10T Water Bell Flow Rate	3,00 m ³ /h
1" 45-10T Water Bell Flow Rate	4,00 m ³ /h
1" 60-10T Water Bell Flow Rate	5,00 m ³ /h

Chrome Water Bell	35-10T	45-10T	60-10T
A	300 mm	450 mm	600 mm
B	85 mm	85 mm	85 mm
C	280 mm	430 mm	580 mm
Material	Stainless	Stainless	Stainless
Weight	1160gr	1410gr	1560gr



FOUNTAINS

STAINLESS STEEL JUMPING JET NOZZLE

It has stainless steel parts and a water throw of 4 to 6 meters depending on the project.

Please get quote according to your project.



Product Code	Product Name	Fiyatı
JJS001	Stainless Steel Jumping Jet System - RGB	P.A.F.P.




Our Complete Stainless Pool Application



Please request a price quote for your projects related to chrome ornamental pools.





You can visit our website to review all applications and projects.

www.cometepool.com

INTEGRA96

UYGUNLUK ONAYI
ATTESTATION OF COMPLIANCE

Reference No: **TRM-24-2100/01**
Referans No:

Applicant: **3T HAVUZCULUK VE MEKANİK LIMITED ŞİRKETİ**
Başvuru Sahibi: **ÇINARLI MAH. 1587/1 SK. NO: 1 E KONAK / İZMİR / TÜRKİYE**

Manufacturer: **3T HAVUZCULUK VE MEKANİK LIMITED ŞİRKETİ**
Üretici: **ÇINARLI MAH. 1587/1 SK. NO: 1 E KONAK / İZMİR / TÜRKİYE**

Product: **TRANSFORMATÖR KONTROL PANELİ**
Ürün:

Type/Model: **RKP001, RKP002, RKP003, RKP004, RKP005-1, RKP005, RKP006, RKP007, RKP008, RKP009, RKP010, TRF001, TRF002, TRF003, TRF004, TRF005, TRF006, TRF007, TRF008, TRF009, TRF010, TRF011, TRF012, TRF013, SMF001, SMF002, SMF003, SMF004, SMF005, SMF006, SMF007, SMF008, SMF009, SMF010, SMF011, SMF012, SMF013, SMF014, SMF015, SMF016, SMF017, SMF018, SMF019, SMF020, SMF021, SMF022, SMF023, SMF024, SMF025, VTP001, VTP002, VTP003, VTP004, VTP005, VTP006, VTP007, VTP008, VTP009, VTP010**
Tip/Model:

Reference Directives(s): **Low Voltage Directive (LVD) (2014/35/EU)**
Referans Yönetmelik(ler): **Belirlenmiş Standart İçin Tasarlanmış Elektrikli Ekipman ile İlgili Yönetmelik (2014/35/AB)**

Reference Standard(s): **EN 60335-1:2012 +A11:2014 +A13:2017**
Referans Standart(ler):

Base of attestation: **File of technical documentation, test report Ref. LVD2019-38 No.**
Onay Dayanağı: **Teknik Dokümantasyon, LVD2019-38 numaralı test raporu**

Issue Date: **26.09.2019** Reissue Date: **02.09.2024** Expiry Date: **25.09.2025**
Yayın Tarihi: **Yeniden Basım Tarihi** **Geçerlilik Tarihi**

Integra96 has been determined by examining the documentation provided by the above-mentioned company regarding the product in accordance with the above-mentioned reference regulations and/or standards. Compliance of the product and documentation according to the regulation and standards is under the responsibility of the company. In case the product is subject to other relevant regulations and standards, a certificate is issued when the company fulfills the requirements of other regulations and standards. This certificate is given at the request of the company. This certificate does not absolve the obligation of the manufacturer to issue a declaration.
Integra96, yukarıda belirtilen belgeyi sağlayan firmaya ilişkin sunulan dokümantasyonuna yukarıda belirtilen referans yönetmelik ve/veya standartlara göre uyumunu doğrulamıştır. Ürün ve/veya dokümantasyonun yukarıda belirtilen referans yönetmelik ve/veya standartlara göre uyumunun sorumluluğu, şirketin sorumluluğundadır. Ürün diğer ilgili yönetmelik ve standartlara tabi olmasa da, diğer yönetmelik ve standartlara tabi olmasa da, firma yerine getirilmediği takdirde, bu belgenin firmaya bağlı olarak verildiği, bu belgenin üreticinin beyan edeceğine zorunluluğu ortadan kaldırmaz.

Cihanğir HÜRŞİTOĞLU
INTEGRA96 Belgelendirme
İZMİR, (rev. 00) <02.09.2024>

INTEGRA96

İNTEGRA96 ULUSAL AKADEN ENERJİ SİSTEMLERİ BELGELENDİRME, BAĞIMSIZ DENETİM, KALİTE VE İZLENİMLERİ İZMİR LTD. ŞTİ.
Nispetiye Mah. 300/11 3. Kat Çifti Kapı / 35000 İZMİR / TÜRKİYE Tel: +90 332 457 31 31 32 Faks: +90 332 457 31 31
info@integra96.com www.integra96.com

INTEGRA96

UYGUNLUK ONAYI
ATTESTATION OF COMPLIANCE

Reference No: **TRM-24-2100/03**
Referans No:

Applicant: **3T HAVUZCULUK VE MEKANİK LIMITED ŞİRKETİ**
Başvuru Sahibi: **ÇINARLI MAH. 1587/1 SK. NO: 1 E KONAK / İZMİR / TÜRKİYE**

Manufacturer: **3T HAVUZCULUK VE MEKANİK LIMITED ŞİRKETİ**
Üretici: **ÇINARLI MAH. 1587/1 SK. NO: 1 E KONAK / İZMİR / TÜRKİYE**

Product: **PASLANMAZLAR HAVUZ AKSESUARİ**
Ürün:

Type/Model: **Model listesi ekteki.**
Tip/Model:

Reference Directives(s): **Machinery Safety Directive (2006/42/EC)**
Referans Yönetmelik(ler): **Makina Emniyet Yönetmeliği (2006/42/AT)**

Reference Standard(s): **EN ISO 12100:2010**
Referans Standart(ler):

Base of attestation: **File of technical documentation, test report Ref. LVD2019-38 No.**
Onay Dayanağı: **Teknik Dokümantasyon, LVD2019-38 numaralı test raporu**

Issue Date: **26.09.2019** Reissue Date: **02.09.2024** Expiry Date: **25.09.2025**
Yayın Tarihi: **Yeniden Basım Tarihi** **Geçerlilik Tarihi**

Integra96 has been determined by examining the documentation provided by the above-mentioned company regarding the product in accordance with the above-mentioned reference regulations and/or standards. Compliance of the product and documentation according to the regulation and standards is under the responsibility of the company. In case the product is subject to other relevant regulations and standards, a certificate is issued when the company fulfills the requirements of other regulations and standards. This certificate is given at the request of the company. This certificate does not absolve the obligation of the manufacturer to issue a declaration.
Integra96, yukarıda belirtilen belgeyi sağlayan firmaya ilişkin sunulan dokümantasyonuna yukarıda belirtilen referans yönetmelik ve/veya standartlara göre uyumunu doğrulamıştır. Ürün ve/veya dokümantasyonun yukarıda belirtilen referans yönetmelik ve/veya standartlara göre uyumunun sorumluluğu, şirketin sorumluluğundadır. Ürün diğer ilgili yönetmelik ve standartlara tabi olmasa da, diğer yönetmelik ve standartlara tabi olmasa da, firma yerine getirilmediği takdirde, bu belgenin firmaya bağlı olarak verildiği, bu belgenin üreticinin beyan edeceğine zorunluluğu ortadan kaldırmaz.

Cihanğir HÜRŞİTOĞLU
INTEGRA96 Belgelendirme
İZMİR, (rev. 00) <02.09.2024>

INTEGRA96

İNTEGRA96 ULUSAL AKADEN ENERJİ SİSTEMLERİ BELGELENDİRME, BAĞIMSIZ DENETİM, KALİTE VE İZLENİMLERİ İZMİR LTD. ŞTİ.
Nispetiye Mah. 300/11 3. Kat Çifti Kapı / 35000 İZMİR / TÜRKİYE Tel: +90 332 457 31 31 32 Faks: +90 332 457 31 31
info@integra96.com www.integra96.com

INTEGRA96

UYGUNLUK ONAYI
ATTESTATION OF COMPLIANCE

Reference No: **TRM-24-2100/02**
Referans No:

Applicant: **3T HAVUZCULUK VE MEKANİK LIMITED ŞİRKETİ**
Başvuru Sahibi: **ÇINARLI MAH. 1587/1 SK. NO: 1 E KONAK / İZMİR / TÜRKİYE**

Manufacturer: **3T HAVUZCULUK VE MEKANİK LIMITED ŞİRKETİ**
Üretici: **ÇINARLI MAH. 1587/1 SK. NO: 1 E KONAK / İZMİR / TÜRKİYE**

Product: **HAVUZ AYDINLATMA GURUBU**
Ürün:

Type/Model: **Model listesi ekteki.**
Tip/Model:

Reference Directives(s): **Low Voltage Directive (LVD) (2014/35/EU)**
Referans Yönetmelik(ler): **Belirlenmiş Standart İçin Tasarlanmış Elektrikli Ekipman ile İlgili Yönetmelik (2014/35/AB)**

Reference Standard(s): **EN 60335-1:2012 +A11:2014 +A13:2017**
Referans Standart(ler):

Base of attestation: **File of technical documentation, test report Ref. LVD2019-38 No.**
Onay Dayanağı: **Teknik Dokümantasyon, LVD2019-38 numaralı test raporu**

Issue Date: **26.09.2019** Reissue Date: **02.09.2024** Expiry Date: **25.09.2025**
Yayın Tarihi: **Yeniden Basım Tarihi** **Geçerlilik Tarihi**

Integra96 has been determined by examining the documentation provided by the above-mentioned company regarding the product in accordance with the above-mentioned reference regulations and/or standards. Compliance of the product and documentation according to the regulation and standards is under the responsibility of the company. In case the product is subject to other relevant regulations and standards, a certificate is issued when the company fulfills the requirements of other regulations and standards. This certificate is given at the request of the company. This certificate does not absolve the obligation of the manufacturer to issue a declaration.
Integra96, yukarıda belirtilen belgeyi sağlayan firmaya ilişkin sunulan dokümantasyonuna yukarıda belirtilen referans yönetmelik ve/veya standartlara göre uyumunu doğrulamıştır. Ürün ve/veya dokümantasyonun yukarıda belirtilen referans yönetmelik ve/veya standartlara göre uyumunun sorumluluğu, şirketin sorumluluğundadır. Ürün diğer ilgili yönetmelik ve standartlara tabi olmasa da, diğer yönetmelik ve standartlara tabi olmasa da, firma yerine getirilmediği takdirde, bu belgenin firmaya bağlı olarak verildiği, bu belgenin üreticinin beyan edeceğine zorunluluğu ortadan kaldırmaz.

Cihanğir HÜRŞİTOĞLU
INTEGRA96 Belgelendirme
İZMİR, (rev. 00) <02.09.2024>

INTEGRA96

İNTEGRA96 ULUSAL AKADEN ENERJİ SİSTEMLERİ BELGELENDİRME, BAĞIMSIZ DENETİM, KALİTE VE İZLENİMLERİ İZMİR LTD. ŞTİ.
Nispetiye Mah. 300/11 3. Kat Çifti Kapı / 35000 İZMİR / TÜRKİYE Tel: +90 332 457 31 31 32 Faks: +90 332 457 31 31
info@integra96.com www.integra96.com

CERTIFICADO • ZERTIFIKAT • CERTIFICATE • СЕРТИФИКАТ



CERTIFICATE

Bu Sertifika / This Certificate
3T HAVUZCULUK VE MEKANİK LİMİTED ŞİRKETİ
 Firmasının / Ofisinin Adresini:

**Çınarlı Mahallesi 1587/1 Sok. No: 1/E
 Konak / İzmir / Türkiye**

Adreslerinde bulunan tesisleri QRS Belgelendirme tarafından denetlenmiş ve Kalite Yönetim Sisteminin
The facilities at the addresses have been audited by QRS and Quality Management System

ISO 9001:2015

Şartlarının aşağıdaki kapsamda uygulanmakta olduğu gözlemlenmiştir.
It has been observed that the conditions are applied within the following scope

Belgelendirme Kapsamı / Certification Scope

HAVUZ EKİPMANLARI TASARIMI VE İMALATI
 POOL EQUIPMENT DESIGN AND MANUFACTURE

Sertifika Numarası : QMS-22-0609-3TH
 Certificate Number
 Sertifika İlk Basım Tarihi : 06.09.2022
 Certificate Date of First Issuance
 Sertifika Son Basım : 04.09.2023
 Certificate Last Edition
 Sertifika Geçerlilik Tarihi : 03.09.2024
 Certificate Validity Date
 Sertifika Retyenzivasyon No ve Tarihi : 00
 Certificate Retention Number and Date
 Sertifika Periyot Tarihi : 06.09.2022 / 03.09.2025
 Certificate Period Date






Onay / Approval

Kaya Pazarı Belgelendirme Hizmetleri Limited Şirketi
 İnönü Mah. 0091 Sk. No:1 K.8 D.38 Kat:Yüksek - ÜMRİ - Tel: 0232 364 49 03 • www.qrsquality.com • info@qrsquality.com
 Sertifikasyon geçerlik bilgileri: www.qrsquality.com adresinden kontrol edilebilir.

CERTIFICADO • ZERTIFIKAT • CERTIFICATE • СЕРТИФИКАТ



CERTIFICATE

Bu Sertifika / This Certificate
3T HAVUZCULUK VE MEKANİK LİMİTED ŞİRKETİ
 Firmasının / Ofisinin Adresini:

**Çınarlı Mahallesi 1587/1 Sok. No: 1/E
 Konak / İzmir / Türkiye**

QRS Belgelendirme tarafından denetlenmiş ve uygulanmakta olduğu
 Müşteri Memnuniyeti Yönetim Sisteminin
Is audited by QRS Certification and applied Customer Satisfaction Management System meet the requirements of

ISO 10002:2018

Şartlarının aşağıdaki kapsamda uygulanmakta olduğu gözlemlenmiştir.
It has been observed that the conditions are applied within the following scope

Belgelendirme Kapsamı / Certification Scope

HAVUZ EKİPMANLARI TASARIMI VE İMALATI
 POOL EQUIPMENT DESIGN AND MANUFACTURE

Sertifika Numarası : CSMS-23-0609-3TH
 Certificate Number
 Sertifika İlk Basım Tarihi : 04.09.2023
 Certificate Date of First Issuance
 Sertifika Son Basım : 04.09.2023
 Certificate Last Edition
 Sertifika Geçerlilik Tarihi : 03.09.2024
 Certificate Validity Date
 Sertifika Retyenzivasyon No ve Tarihi : 00
 Certificate Retention Number and Date
 Sertifika Periyot Tarihi : 04.09.2023 / 03.09.2025
 Certificate Period Date






Onay / Approval

Kaya Pazarı Belgelendirme Hizmetleri Limited Şirketi
 İnönü Mah. 0091 Sk. No:1 K.8 D.38 Kat:Yüksek - ÜMRİ - Tel: 0232 364 49 03 • www.qrsquality.com • info@qrsquality.com
 Sertifikasyon geçerlik bilgileri: www.qrsquality.com adresinden kontrol edilebilir.

CERTIFICADO • ZERTIFIKAT • CERTIFICATE • СЕРТИФИКАТ



CERTIFICATE

Bu Sertifika / This Certificate
3T HAVUZCULUK VE MEKANİK LİMİTED ŞİRKETİ
 Firmasının / Ofisinin Adresini:

**Çınarlı Mahallesi 1587/1 Sok. No: 1/E
 Konak / İzmir / Türkiye**

Adreslerinde bulunan tesisleri QRS Belgelendirme tarafından denetlenmiş ve Çevre Yönetim Sisteminin
The facilities at the addresses have been audited by QRS and Environmental Management System

ISO 14001:2015

Şartlarının aşağıdaki kapsamda uygulanmakta olduğu gözlemlenmiştir.
It has been observed that the conditions are applied within the following scope

Belgelendirme Kapsamı / Certification Scope

HAVUZ EKİPMANLARI TASARIMI VE İMALATI
 POOL EQUIPMENT DESIGN AND MANUFACTURE

Sertifika Numarası : EMS-22-0609-3TH
 Certificate Number
 Sertifika İlk Basım Tarihi : 06.09.2022
 Certificate Date of First Issuance
 Sertifika Son Basım : 04.09.2023
 Certificate Last Edition
 Sertifika Geçerlilik Tarihi : 03.09.2024
 Certificate Validity Date
 Sertifika Retyenzivasyon No ve Tarihi : 00
 Certificate Retention Number and Date
 Sertifika Periyot Tarihi : 06.09.2022 / 03.09.2025
 Certificate Period Date






Onay / Approval

Kaya Pazarı Belgelendirme Hizmetleri Limited Şirketi
 İnönü Mah. 0091 Sk. No:1 K.8 D.38 Kat:Yüksek - ÜMRİ - Tel: 0232 364 49 03 • www.qrsquality.com • info@qrsquality.com
 Sertifikasyon geçerlik bilgileri: www.qrsquality.com adresinden kontrol edilebilir.

CERTIFICADO • ZERTIFIKAT • CERTIFICATE • СЕРТИФИКАТ



CERTIFICATE

Bu Sertifika / This Certificate
3T HAVUZCULUK VE MEKANİK LİMİTED ŞİRKETİ
 Firmasının / Ofisinin Adresini:

**Çınarlı Mahallesi 1587/1 Sok. No: 1/E
 Konak / İzmir / Türkiye**

QRS Belgelendirme tarafından denetlenmiş ve uygulanmakta olduğu
 İş Sağlığı ve Güvenliği Yönetim Sisteminin
Is audited by QRS Certification and applied Occupational and Safety Management System meet the requirements of

ISO 45001:2018

Şartlarının aşağıdaki kapsamda uygulanmakta olduğu gözlemlenmiştir.
It has been observed that the conditions are applied within the following scope

Belgelendirme Kapsamı / Certification Scope

HAVUZ EKİPMANLARI TASARIMI VE İMALATI
 POOL EQUIPMENT DESIGN AND MANUFACTURE

Sertifika Numarası : HSMS-22-0609-3TH
 Certificate Number
 Sertifika İlk Basım Tarihi : 06.09.2022
 Certificate Date of First Issuance
 Sertifika Son Basım : 04.09.2023
 Certificate Last Edition
 Sertifika Geçerlilik Tarihi : 03.09.2024
 Certificate Validity Date
 Sertifika Retyenzivasyon No ve Tarihi : 00
 Certificate Retention Number and Date
 Sertifika Periyot Tarihi : 06.09.2022 / 03.09.2025
 Certificate Period Date






Onay / Approval

Kaya Pazarı Belgelendirme Hizmetleri Limited Şirketi
 İnönü Mah. 0091 Sk. No:1 K.8 D.38 Kat:Yüksek - ÜMRİ - Tel: 0232 364 49 03 • www.qrsquality.com • info@qrsquality.com
 Sertifikasyon geçerlik bilgileri: www.qrsquality.com adresinden kontrol edilebilir.

Benannte Stelle nach Druckgeräterichtlinie (2014/68/EU) der TÜV Industrie Service GmbH

1 ZERTIFIKAT / WELDER QUALIFICATION CERTIFICATE

2 Designation: EN ISO 9606-1 141 P BW FMS 5 105 PA be
 3 Manufacturer's NPS: WPQR 01
 4 Reference No.: 20-8-0776-34-B
 5 Welder's name: Rüstem Kabaş
 6 Method of identification: Identity Card - TC No: 1073881776
 7 Welder's sign: S
 8 Date and place of birth: 01.11.1971
 9 Employer: 3T HAVUZCULUK LTD STI
 10 Code / Testing standard: EN ISO 9606-1:2017, 321468/EU
 11 Job knowledge: Not Tested

12

Test piece	Range of qualification
13 Welding process(es): 141	141, 142, 143, 145
14 Transfer mode: P	P, T
15 Product type (plate or pipe): BW, FWD	BW, FW
16 Parent material group(s): Group 5.1: EN ISO 15608	FW
17 Filler material group(s): FMS	FMS
18 Filler material (Designation): S (EN ISO 14343 A W 19 12 3 L)	S, M
19 Shielding gas: EN ISO 14175-1 (99.9 % Ar)	—
20 Position: DC (-)	—
21 Type of current and polarity: DC (-)	—
22 Material thickness (mm): Plate S	BW: 3 x 14.10 ; FW: 3 x 1
23 Deposited thickness (mm): —	—
24 Outside pipe diameter (mm): —	Fl. D ≤ 4000; Rotated: D ≤ 475 (for PA, PB, PC)
25 Inside pipe diameter (mm): —	PA (PA), PB (PB)
26 Welding position: PA	PA, PB, PC
27 Weld details: SA	—
28 Multi-layer/single layer: SL	—

29 Supplementary fillet weld test completed in conjunction with a butt weld qualification: Acceptable

30 Additional information: —

Type of test	Performed and accepted	Not tested	Name and signature
31 Visual testing	x	—	U.S. 0026
32 Radiographic testing	x	—	—
33 Fracture test	x	—	—
34 Bend test	x	—	—
35 Impact testing	x	—	—
36 Macroscopic examination	x	—	—
37 Additional tests: (if required)	x	—	—

38 Approval for approval: —

Revolution	Valid until	Revolution	Valid until	Revolution	Valid until
0.0 kg	04.12.2023	0.0 kg	—	0.0 kg	—

39 PROLONGATION FOR APPROVAL BY EMPLOYER OR SUPERVISOR

Date	Signature	Position or title
—	—	—

40 TÜV SÜD Turkey
 Hattatlar Mahallesi Akmerkez B Blok Kat: 11 Daire 11a İstanbul T.C.
 34090 Sarıyer / İstanbul
 Tel: 0090 212 3478010 Faks: 0090 212 3478011
 e-mail: info@tuv-sud.com.tr

Notifizierte Stelle nach Druckgeräterichtlinie (2014/68/EU) der TÜV SÜD Industrie Service GmbH

ZERTIFIKAT - QUALIFIZIERUNG VON SCHWEISSVERFAHREN (WPQR)
 WELDING PROCEDURE QUALIFICATION RECORD

Zertifizierende: TÜV SÜD Industrie Service GmbH
 Westendstraße 159
 D-80686 München
 Hersteller / Ausführend: 3T HAVUZCULUK LTD STI
 Cinarli Mahallesi 158711
 Konak - Izmir-Türkei
 Versuchsverfahren: EN ISO 15614-1 Level 2, 2014/68/EU

Zeichen: EU-TR-IST
 Beleg-Nr. des Herstellers: WPQR 01
 Datum der Schweißung: 24.12.2020

GELTUNGSBEREICH - RANGE OF APPROVAL

Schweißprozess(EN ISO 4063): 141 (Manual)
 Schweißposition: 141 (Manual)
 Materialgruppe: ASME SA 240 316L (Material No: 1.4404) (ISO 15608 group 5.1) (Stainless Plate)
 Schweißgüteklasse (mm): 141 (Manual)
 Zusatzwerkstoff(EN ISO 14343): AWS A5.9, SFA 5.9 ER 316 L, EN ISO 14343 A W 19 12 3 L
 Wärmeeinbringung (J/mm): —
 Schutzgas / Wärmeschutz: EN ISO 14175-1 (99.9 % Ar)
 Schweißpositionen: PA
 Betriebsparameter: Wie Grundwerkstoff bzw. Zusatzwerkstoff
 Vorwärmung: 5 °C
 Wärmeeinbringung: —

Materialstärke (mm): 3 x 14.10 mm
 Außendurchmesser (mm): 150 x D (Rotated Position)
 Innendurchmesser (mm): 300 x D (Fixed Position)
 Stromart: DC (-)
 Tropfenübergang: —
 Pulver: —

Zeichen: EU-TR-IST
 Beleg-Nr. des Herstellers: WPQR 01
 Datum der Schweißung: 24.12.2020

SONSTIGE ANGABEN - OTHER INFORMATION

SINGLE LAYER/MULTI-LAYER, MULTI LAYER
 BILDELAGEN ZUR METALLOGRAFISCHEN UNTERSUCHUNG: siehe Anlage 1
 Die Bruchfestigkeit gegen interkristalline Korrosion wurde nicht überprüft.
 *) siehe Tabelle(n) für Geltungsbereich Grundwerkstoffe in EN ISO 15614-1

Hiermit wird bestätigt, dass die Prüfungen in Übereinstimmung mit den Anforderungen der vorbeschriebenen Vorschriften bzw. Prüfverfahren zufriedenstellend abgeschlossen wurden und geprüft wurden. / Certified that test pieces were prepared, welded and tested satisfactorily in accordance with the requirements of the code or the welding standard indicated above.

Ort: Istanbul
 Datum der Ausstellung: 04.01.2021
 Name und Unterschrift des Zertifizierers: —
 Anlagen: 1
 Zertifizierende: TÜV SÜD Industrie Service GmbH

Notifizierte Stelle nach Druckgeräterichtlinie (2014/68/EU) der TÜV SÜD Industrie Service GmbH

Zertifikat-Ausgabe-Nr.: 20-8-0776-34-B Register-Nr.: 21-SER-000245_PQR Seite 1 von 6

ZERTIFIKAT - QUALIFIZIERUNG VON SCHWEISSVERFAHREN (WPQR)

Zertifizierende: TÜV SÜD Industrie Service GmbH
 Westendstraße 159
 D-80686 München
 Hersteller / Ausführend: 3T HAVUZCULUK LTD STI
 Cinarli Mahallesi 158711
 Konak - Izmir-Türkei
 Versuchsverfahren: EN ISO 15614-1 Level 2, 2014/68/EU

Zeichen: EU-TR-IST
 Beleg-Nr. des Herstellers: WPQR 02
 Datum der Schweißung: 24.12.2020

GELTUNGSBEREICH - RANGE OF APPROVAL

Schweißprozess(EN ISO 4063): 141 (Manual)
 Schweißposition: 141 (Manual)
 Materialgruppe: ASME SA 240 316L (Material No: 1.4404) (ISO 15608 group 5.1) (Stainless Plate)
 Schweißgüteklasse (mm): 141 (Manual)
 Zusatzwerkstoff(EN ISO 14343): AWS A5.9, SFA 5.9 ER 316 L, EN ISO 14343 A W 19 12 3 L
 Wärmeeinbringung (J/mm): —
 Schutzgas / Wärmeschutz: EN ISO 14175-1 (99.9 % Ar)
 Schweißpositionen: PA
 Betriebsparameter: Wie Grundwerkstoff bzw. Zusatzwerkstoff
 Vorwärmung: 5 °C
 Wärmeeinbringung: —

Materialstärke (mm): 3 x 14.10 mm
 Außendurchmesser (mm): 150 x D (Rotated Position)
 Innendurchmesser (mm): 300 x D (Fixed Position)
 Stromart: DC (-)
 Tropfenübergang: —
 Pulver: —

Zeichen: EU-TR-IST
 Beleg-Nr. des Herstellers: WPQR 02
 Datum der Schweißung: 24.12.2020

SONSTIGE ANGABEN - OTHER INFORMATION

SINGLE LAYER/MULTI-LAYER, MULTI LAYER
 BILDELAGEN ZUR METALLOGRAFISCHEN UNTERSUCHUNG: siehe Anlage 1
 Die Bruchfestigkeit gegen interkristalline Korrosion wurde nicht überprüft.
 *) siehe Tabelle(n) für Geltungsbereich Grundwerkstoffe in EN ISO 15614-1

Hiermit wird bestätigt, dass die Prüfungen in Übereinstimmung mit den Anforderungen der vorbeschriebenen Vorschriften bzw. Prüfverfahren zufriedenstellend abgeschlossen wurden und geprüft wurden. / Certified that test pieces were prepared, welded and tested satisfactorily in accordance with the requirements of the code or the welding standard indicated above.

Ort: Istanbul
 Datum der Ausstellung: 04.01.2021
 Name und Unterschrift des Zertifizierers: —
 Anlagen: 1
 Zertifizierende: TÜV SÜD Industrie Service GmbH



Swimming, Olypic, SPA, Ornamental Pool Equipment

www.cometepool.com.tr



3T POOL AND MECHANICAL LIMITED COMPANY

ÇINARLI STREET 1587/1 SOKAK NO:1/E KONAK İZMİR

TEL : +90232 486 86 82 FAX: 0232 486 86 83

GSM: +905313752747

E-MAIL: muhasebe@cometepool.com / 3thavuzculuk@gmail.com / elektronik@cometepool.com